

OIE Reference Laboratory Reports Activities

Activities in 2021

This report has been submitted : 2022-01-17 14:24:29

Name of disease (or topic) for which you are a designated OIE Reference Laboratory:	Equine infectious anaemia
Address of laboratory:	Istituto Zooprofilattico Sperimentale delle Regioni Lazio e Toscana (IZSLT) Via Appia Nuova 1411 00178 Rome ITALY
Tel.:	+390679099449
Fax:	
E-mail address:	teresa.scicluna@izslt.it
Website:	https://www.izslt.it/laboratorio-di-riferimento-oie-per-l-anemia-infettiva-equina/
Name (including Title) of Head of Laboratory (Responsible Official):	Dr. Ugo Della Marta, Director General of the Istituto Zooprofilattico Sperimentale Istituto Zooprofilattico Sperimentale del Lazio e della Toscana M. Aleandri, via Appia Nuova, 1411 - 00178 Rome, Italy
Name (including Title and Position) of OIE Reference Expert:	Dr. Maria Teresa Scicluna, Head of the Operative Unit of Virology, Head of the OIE Reference Laboratory for Equine Infectious Anaemia (EIA), Head of the National Reference Centre for EIA, Head of the National Reference Centre for Equine Disease
Which of the following defines your laboratory? Check all that apply:	Governmental

ToR 1: To use, promote and disseminate diagnostic methods validated according to OIE Standards

1. Did your laboratory perform diagnostic tests for the specified disease/topic for purposes such as disease diagnosis, screening of animals for export, surveillance, etc.? (Not for quality control, proficiency testing or staff training)

Yes

Diagnostic Test	Indicated in OIE Manual (Yes/No)	Total number of test performed last year	
		Nationally	Internationally
Indirect diagnostic tests		Nationally	Internationally
cELISA	yes	17447	0
Agar gel Immunodiffusion (AGID)	yes	854	0
Immunblot	yes	96	0
Direct diagnostic tests		Nationally	Internationally

ToR 2: To develop reference material in accordance with OIE requirements, and implement and promote the application of OIE Standards. To store and distribute to national laboratories biological reference products and any other reagents used in the diagnosis and control of the designated pathogens or disease.

2. Did your laboratory produce or supply imported standard reference reagents officially recognised by the OIE?

No

3. Did your laboratory supply standard reference reagents (non OIE-approved) and/or other diagnostic reagents to OIE Member Countries?

Yes

Type of reagent available	Related diagnostic test	Produced/ provide	Amount supplied nationally (ml, mg)	Amount supplied internationally (ml, mg)	No. of recipient OIE Member Countries	Region of recipients
EIA Strong positive antiserum	AGID	provided	290ml	20	1	<input type="checkbox"/> Africa <input type="checkbox"/> Americas <input type="checkbox"/> Asia and Pacific <input checked="" type="checkbox"/> Europe <input type="checkbox"/> Middle East
EIA recombinant p26 antigen	aGID	provided	90ml	0	0	<input type="checkbox"/> Africa <input type="checkbox"/> Americas <input type="checkbox"/> Asia and Pacific <input type="checkbox"/> Europe <input type="checkbox"/> Middle East
EIA monoclonal antibody (catcher)	cELISA	provided	20ml	0	0	<input type="checkbox"/> Africa <input type="checkbox"/> Americas <input type="checkbox"/> Asia and Pacific <input type="checkbox"/> Europe <input type="checkbox"/> Middle East
EIA monoclonal antibody (tracer)	cELISA	provided	10ml	0	0	<input type="checkbox"/> Africa <input type="checkbox"/> Americas <input type="checkbox"/> Asia and Pacific <input type="checkbox"/> Europe <input type="checkbox"/> Middle East
EIA recombinant p26 antigen	cELISA	provided	7ml	0	0	<input type="checkbox"/> Africa <input type="checkbox"/> Americas <input type="checkbox"/> Asia and Pacific <input type="checkbox"/> Europe <input type="checkbox"/> Middle East
EIA proficiency panel (10 panels with 14 sera, 0.2ml each)for non compliant results	ELISA	provided	28ml	0	0	<input type="checkbox"/> Africa <input type="checkbox"/> Americas <input type="checkbox"/> Asia and Pacific <input type="checkbox"/> Europe <input type="checkbox"/> Middle East

4. Did your laboratory produce vaccines?

No

5. Did your laboratory supply vaccines to OIE Member Countries?

No

ToR 3: To develop, standardise and validate, according to OIE Standards, new procedures for diagnosis and control of the designated pathogens or diseases

6. Did your laboratory develop new diagnostic methods validated according to OIE Standards for the designated pathogen or disease?

No

7. Did your laboratory develop new vaccines according to OIE Standards for the designated pathogen or disease?

No

ToR 4: To provide diagnostic testing facilities, and, where appropriate, scientific and technical advice on disease control measures to OIE Member Countries

8. Did your laboratory carry out diagnostic testing for other OIE Member Countries?

No

9. Did your laboratory provide expert advice in technical consultancies on the request of an OIE Member Country?

No

ToR 5: To carry out and/or coordinate scientific and technical studies in collaboration with other laboratories, centres or organisations

10. Did your laboratory participate in international scientific studies in collaboration with OIE Member Countries other than the own?

No

ToR 6: To collect, process, analyse, publish and disseminate epizootiological data relevant to the designated pathogens or diseases

11. Did your Laboratory collect epizootiological data relevant to international disease control?

No

If the answer is no, please provide a brief explanation of the situation:
There is no systematic method for the collection of this data

12. Did your laboratory disseminate epizootiological data that had been processed and analysed?

No

If the answer is no, please provide a brief explanation of the situation:
As the reply to the previous question is "no" this action was not possible

**13. What method of dissemination of information is most often used by your laboratory?
(Indicate in the appropriate box the number by category)**

a) Articles published in peer-reviewed journals: 0

b) International conferences: 2

International Equine Infectious Diseases Conference 2021:

1. Validation of the diagnostic pathway for equine infectious anaemia. R. Nardini; I. Ricci; F. Rosone; M. Zini; D. Stilli; D. Maccarone; A. Altigeri; C. Alimonti and M. T. Scicluna

2. Isolation and identification of equine infectious anaemia virus from monocyte-derived macrophages of naturally infected horses. G. Cardeti; A. Cersini; R. Nardini; G. Manna; M. Cittadini; S. Sittinieri; G. Pietrella; R. Conti; L. Bertolotti; B. Colitti; A. Zepparoni and M. T. Scicluna

c) National conferences: 0

d) Other:

(Provide website address or link to appropriate information) 2

<https://www.izslt.it/craie/><https://craie.izslt.it/craie/>

ToR 7: To provide scientific and technical training for personnel from OIE Member Countries

To recommend the prescribed and alternative tests or vaccines as OIE Standards

14. Did your laboratory provide scientific and technical training to laboratory personnel from other OIE Member Countries?

No

ToR 8: To maintain a system of quality assurance, biosafety and biosecurity relevant for the pathogen and the disease concerned

15. Does your laboratory have a Quality Management System?

Yes

Quality management system adopted	Certificate scan (PDF, JPG, PNG format)
ISO 17025	Accreditation Certificate 2021.pdf

16. Is your quality management system accredited?

Yes

Test for which your laboratory is accredited	Accreditation body
AGID	ACCREDIA
ELISA	ACCREDIA
Immunoblot	ACCREDIA

17. Does your laboratory maintain a “biorisk management system” for the pathogen and the disease concerned?

Yes

(See Manual of Diagnostic Tests and Vaccines for Terrestrial Animals, Chapter 1.1.4)

ToR 9: To organise and participate in scientific meetings on behalf of the OIE

18. Did your laboratory organise scientific meetings on behalf of the OIE?

No

19. Did your laboratory participate in scientific meetings on behalf of the OIE?

No

ToR 10: To establish and maintain a network with other OIE Reference Laboratories designated for the same pathogen or disease and organise regular inter-laboratory

proficiency testing to ensure comparability of results

20. Did your laboratory exchange information with other OIE Reference Laboratories designated for the same pathogen or disease?

Yes

21. Was your laboratory involved in maintaining a network with OIE Reference Laboratories designated for the same pathogen or disease by organising or participating in proficiency tests?

No

22. Did your laboratory collaborate with other OIE Reference Laboratories for the same disease on scientific research projects for the diagnosis or control of the pathogen of interest?

No

ToR 11: To organise inter-laboratory proficiency testing with laboratories other than OIE Reference Laboratories for the same pathogens and diseases to ensure equivalence of results

23. Did your laboratory organise or participate in inter-laboratory proficiency tests with laboratories other than OIE Reference Laboratories for the same disease?

No

Note: See Interlaboratory test comparisons in: Laboratory Proficiency Testing at: <http://www.oie.int/en/our-scientific-expertise/reference-laboratories/proficiency-testing> see point 1.3

ToR 12: To place expert consultants at the disposal of the OIE

24. Did your laboratory place expert consultants at the disposal of the OIE?

No

25. Additional comments regarding your report:

As for 2020, the COVID-19 pandemic has posed serious limitations to collaborations and the development of the activities of the Reference laboratory directly and indirectly as the efforts of the personnel were also redirected in the support of the laboratory diagnosis of this disease as per mandate by the National Authorities.