

## Follow-up report No.14 (Final report)

Report reference: , Reference OIE : 24463, Report Date : 01/08/2017, Country : Sweden

### Report Summary

<b>Name of sender of the report</b>	Dr Ingrid Eilertz	<b>Telephone</b>	+46 36 15 50 00
<b>Position</b>	Chief Veterinary Officer Director and Head	<b>Fax</b>	+46 36 30 81 82
<b>Address</b>	SE-551 82 Jönköping Jönköping SE-551 82	<b>Email</b>	cvo@jordbruksverket.se
		<b>Date submitted to OIE</b>	01/08/2017

<b>Animal type</b>	Terrestrial	<b>Date of report</b>	01/08/2017
<b>Disease</b>	Highly pathogenic avian influenza	<b>Date of start of the event</b>	14/11/2016
<b>Causal Agent</b>	Highly pathogenic avian influenza virus	<b>Date of confirmation of the event</b>	23/11/2016
<b>Serotype(s)</b>	H5N8	<b>Date of last occurrence</b>	05/03/2015
<b>Reason</b>	Recurrence of a listed disease	<b>Diagnosis</b>	Laboratory (advanced)
<b>Country or zone</b>	a zone or compartment	<b>Clinical signs</b>	Yes
<b>Number of reported outbreaks</b>	submitted= 37, Draft= 0		

### Outbreak details

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
SKÅNE LÄN-other report - submitted	-	Vellinge	Höllviken	Not applicable	Vellinge	55.404506	12.973121	14/11/2016	23/11/2016
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Common Goldeneye:Anatidae(Bucephala clangula)	Animals	...	1	1	0	0			
Affected Population	One wild bird was found alive, but died shortly afterwards, and was then analysed for avian influenza as part of routine surveillance.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
SKÅNE LÄN-other report - submitted	-	Eslöv	Eslöv	Natural park	Eslöv	55.831129	13.38718	22/11/2016	20/12/2016
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
White-tailed Eagle:Accipitridae(Haliaeetus albicilla)	Animals	...	1	1	0	0			
Affected Population	One sea eagle was found dead in a park and was sent for analysis as part of the routine program for avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KALMAR LÄN-other report - submitted	-	Mörbylånga	Degerhamn	Not applicable	Degerhamn	56.357032	16.419598	23/11/2016	23/11/2016
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Herring Gull:Laridae(Larus argentatus)	Animals	...	2	2	0	0			
Affected Population	Two European herring gulls were found dead.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
SKÅNE LÄN-other report - submitted	-	Malmö	Malmö	Not applicable	Malmö	55.603098	12.991542	25/11/2016	25/11/2016
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Black-headed Gull:Laridae(Larus ridibundus)	Animals	...	2	0	2	0			

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Hooded Crow:Corvidae(Corvus cornix)	Animals	...	1	0	1	0			
Affected Population									

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
GOTLANDS LÄN-other report - submitted	-	Gotland	Näs	Not applicable	Gotland	57.108714	18.231455	25/11/2016	25/11/2016
Accipitridae (unidentified):Accipitridae(Accipitridae (incognita))	Animals	...	1	0	1	0			
Affected Population	This wild eagle was found alive with neurological symptoms.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KALMAR LÄN-other report - submitted	-	Oskarshamn	Strömserum	Not applicable	Strömserum	57.362606	16.371552	01/12/2016	04/01/2017
White-tailed Eagle:Accipitridae(Haliaeetus albicilla)	Animals	...	1	1	0	0			
Affected Population	A sea eagle (Haliaeetus albicilla) was found dead and was then sent to the National Veterinary Institute for analysis as part of the routine surveillance of avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
SKÅNE LÄN-other report - submitted	-	Malmö	Oxie	Not applicable	Oxie	55.546375	13.116923	01/12/2016	24/02/2017
Black-headed Gull:Laridae(Larus ridibundus)	Animals	...	1	0	1	0			
Affected Population	A black-headed gull was found sick. After being euthanized the gull was sent for analysis to the National Veterinary Institute as part of the routine surveillance program for avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
GOTLANDS LÄN-other report - submitted	-	Gotland	Sanda	Not applicable	Gotland	57.4	18.21	03/12/2016	23/12/2016
Hooded Crow:Corvidae(Corvus cornix)	Animals	...	1	1	0	0			
Affected Population	This crow (Corvus cornix) was found dead and sent to the National Veterinary Institute for analysis as part of the routine surveillance of avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
SKÅNE LÄN-other report - submitted	-	Malmö	Malmö	Not applicable	Malmö	55.603098	12.991542	06/12/2016	20/12/2016
Common magpie:Corvidae(Pica pica)	Animals	...	2	2	0	0			
Affected Population	Two magpies were found dead in a park and were sent for analysis as part of the routine program for avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
SKÅNE LÄN-other report - submitted	-	Svedala	Svedala	Not applicable	Törringelund	55.52895	13.13091	06/12/2016	20/12/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Eurasian buzzard (common buzzard):Accipitridae(But eo buteo)	Animals	...	1	1	0	0			
Affected Population	One buzzard was found sick with symptoms of the central nervous system. After euthanasia it was sent for analysis as part of the routine surveillance programme for avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KALMAR LÄN-other report - submitted	-	Västervik	Hallmare	Not applicable	Lofthammar	57.873429	16.748232	11/12/2016	03/01/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
White-tailed Eagle:Accipitridae(Haliaeetus albicilla)	Animals	...	1	1	0	0			
Affected Population	A sea eagle (Haliaeetus albicilla) was found dead on a rock surface and was then sent to the National Veterinary Institute for analysis as part of the routine surveillance of avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
SKÅNE LÄN-other report - submitted	-	Malmö	Toarp	Not applicable	Malmö	55.538846	13.135471	15/12/2016	15/12/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
White-tailed Eagle:Accipitridae(Haliaeetus albicilla)	Animals	...	1	1	0	0			
Affected Population	One white-tailed eagle was found dead and was then sent for analysis as part of the routine surveillance program for avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
ÖSTERGÖTLANDS LÄN-other report - submitted	-	Norrköping	Norrköping	Not applicable	Norrköping	58.59	16.19	15/12/2016	23/12/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Eurasian Sparrowhawk:Accipitridae(Accipiter nisus)	Animals	...	1	1	0	0			
Affected Population	This sparrowhawk (Accipiter nisus) was found dead and sent to the National Veterinary Institute for analysis as part of the routine surveillance of avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
STOCKHOLMS LÄN-other report - submitted	-	Haninge	Utö	Not applicable	Utö	58.96	18.3	17/12/2016	23/12/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Tufted Duck:Anatidae(Aythya fuligula)	Animals	...	1	1	0	0			
Affected Population	This tufted duck (Aythya fuligula) was found dead and sent to the National Veterinary Institute for analysis as part of the routine surveillance of avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
-----	---------------------	--------	-------------------	-----------	----------	----------	-----------	------------	-----------

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
ÖSTERGÖTLANDS LÄN-other report - submitted	-			Forest	Valdemarsvik	58.06	16.78	11/01/2017	27/01/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
White-tailed Eagle:Accipitridae(Haliae etus albicilla)	Animals	...	1	1	0	0			
Affected Population	A sea eagle (Haliaeetus albicilla) was found dead then sent to the National Veterinary Institute for analysis as part of the routine surveillance of avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
ÖSTERGÖTLANDS LÄN-other report - submitted	-	Valdemarsvik		Forest	Kvädö	58.06	16.78	13/01/2017	28/01/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
White-tailed Eagle:Accipitridae(Haliae etus albicilla)	Animals	...	1	1	0	0			
Affected Population	A sea eagle (Haliaeetus albicilla) was found dead then sent to the National Veterinary Institute for analysis as part of the routine surveillance of avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
GOTLANDS LÄN-other report - submitted	-	Gotland		Forest	Gotland	56.99	18.39	16/01/2017	28/01/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Peregrin falcon:Falconidae(Falco peregrinus)	Animals	...	1	1	0	0			
Affected Population	A peregrine falcon (Falco peregrinus) was found dead then sent to the National Veterinary Institute for analysis as part of the routine surveillance of avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
ÖSTERGÖTLANDS LÄN-other report - submitted	-	Valdemarsvik		Livestock market	Kvädö	58.06	16.78	16/01/2017	28/01/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
White-tailed Eagle:Accipitridae(Haliae etus albicilla)	Animals	...	1	1	0	0			
Affected Population	A sea eagle (Haliaeetus albicilla) was found dead then sent to the National Veterinary Institute for analysis as part of the routine surveillance of avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
STOCKHOLMS LÄN-other report - submitted	-	Stockholm	Djurgården	Not applicable	Stockholm	59.325161	18.132028	23/01/2017	07/02/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Mute Swan:Anatidae(Cygnus olor)	Animals	...	1	1	0	0			
Affected Population	One wild mute swan was found dead in the city of Stockholm. The swan was sent for analysis to the National Veterinary Institute as part of the routine surveillance of avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
-----	---------------------	--------	-------------------	-----------	----------	----------	-----------	------------	-----------

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
SKÅNE LÄN-other report - submitted	-	Helsingborg		Forest	Ramlösa	56.02	12.75	24/01/2017	28/01/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
White-tailed Eagle:Accipitridae(Haliaeetus albicilla)	Animals	...	1	1	0	0			
Affected Population	A sea eagle (Haliaeetus albicilla) was found dead then sent to the National Veterinary Institute for analysis as part of the routine surveillance of avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
STOCKHOLMS LÄN-other report - submitted	-	Stockholm	Djurgården	Not applicable	Stockholm	59.328045	18.032694	30/01/2017	07/02/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Mute Swan:Anatidae(Cygnus olor)	Animals	...	2	2	0	0			
Affected Population	Two wild mute swans were found dead in the city of Stockholm. The swans were sent for analysis to the National Veterinary Institute as part of the routine surveillance of avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
STOCKHOLMS LÄN-other report - submitted	-	Stockholm	Norr Mälärstrand	Not applicable	Stockholm	59.328045	18.032694	31/01/2017	03/02/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Mute Swan:Anatidae(Cygnus olor)	Animals	...	3	1	2	0			
Affected Population	One mute swan was found dead and two were found sick in the city of Stockholm. The sick swans were euthanized and all three were sent for analysis to the National Veterinary Institute as part of the routine surveillance of avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
STOCKHOLMS LÄN-other report - submitted	-	Stockholm	Skeppsholmsbron	Not applicable	Stockholm	59.328045	18.032694	31/01/2017	03/02/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Mute Swan:Anatidae(Cygnus olor)	Animals	...	4	3	1	0			
Affected Population	Three mute swans were found dead and one was found sick in the city of Stockholm. The sick swan was euthanized and all four were sent for analysis to the National Veterinary Institute as part of the routine surveillance of avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
STOCKHOLMS LÄN-other report - submitted	-	Stockholm	Djurgården	Not applicable	Stockholm	59.325434	18.096307	02/02/2017	10/02/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Mute Swan:Anatidae(Cygnus olor)	Animals	...	1	1	0	0			
Affected Population	A mute swan was found dead and was then sent for analysis to the National Veterinary Institute as part of the routine surveillance of avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
-----	---------------------	--------	-------------------	-----------	----------	----------	-----------	------------	-----------

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
STOCKHOLMS LÄN-other report - submitted	-	Stockholm	Östermalm	Not applicable	Stockholm	59.332983	18.089855	03/02/2017	10/02/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Hooded Crow:Corvidae(Corvus cornix)	Animals	...	1	1	0	0			
Affected Population	A hooded crow was found dead and then sent for analysis to the National Veterinary Institute as part of the routine surveillance of avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
GOTLANDS LÄN-other report - submitted	-	Gotland	Risungs	Not applicable	Rute	57.825386	18.925805	03/02/2017	06/04/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
White-tailed Eagle:Accipitridae(Haliaeetus albicilla)	Animals	...	1	1	0	0			
Affected Population	One white-tailed eagle found sick or dead was sent for analysis to the National Veterinary Institute as part of the routine surveillance program for avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
STOCKHOLMS LÄN-other report - submitted	-	Stockholm	Djurgårdsbron	Not applicable	Stockholm	59.329762	18.089147	04/02/2017	10/02/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Mute Swan:Anatidae(Cygnus olor)	Animals	...	2	2	0	0			
Affected Population	Two mute swans were found dead and were sent for analysis to the National Veterinary Institute as part of the routine surveillance of avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
SKÅNE LÄN-other report - submitted	-	Svedala		Not applicable	Svedala	55.517302	17.803417	13/02/2017	17/02/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Greylag Goose:Anatidae(Anser anser)	Animals	...	2	2	0	0			
Affected Population	Two geese (Anser anser) were found dead and sent for analysis to the National Veterinary Institute as part of the routine surveillance program for avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
STOCKHOLMS LÄN-other report - submitted	-	Stockholm		Not applicable	Norr Mälarstrand	59.593738	18.039915	16/02/2017	28/02/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Mute Swan:Anatidae(Cygnus olor)	Animals	...	2	2	0	0			
Affected Population	Two mute swans were found dead and sent for analysis to the National Veterinary Institute as part of the routine surveillance program for avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
-----	---------------------	--------	-------------------	-----------	----------	----------	-----------	------------	-----------

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
STOCKHOLMS LÄN-other report - submitted	-	Stockholm		Not applicable	Farstaviken	59.327319	18.370172	16/02/2017	03/03/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Mallard:Anatidae(Anas platyrhynchos)	Animals	...	4	4	0	0			
Affected Population	4 mallards were found dead and sent for analysis to the National Veterinary Institute as part of the routine surveillance program for avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
SKÅNE LÄN-other report - submitted	-	Malmö	Hindby	Not applicable	Hindby	55.57719	13.035605	17/02/2017	24/02/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Eurasian buzzard (common buzzard):Accipitridae(But eo buteo)	Animals	...	1	0	1	0			
Affected Population	A common buzzard (Buteo buteo) was found sick and was then, after been euthanized, sent for analysis to the National Veterinary Institute as part of the routine surveillance program for avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
SKÅNE LÄN-other report - submitted	-	Trelleborg		Not applicable	Trelleborgshamn	55.373821	13.150881	19/02/2017	03/03/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Peregrin falcon:Falconidae(Falco peregrinus)	Animals	...	1	1	0	0			
Affected Population	A peregrine falcon (Falco peregrinus) was found dead and sent for analysis to the National Veterinary Institute as part of the routine surveillance program for avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
SKÅNE LÄN-other report - submitted	-	Malmö	Malmö	Not applicable	Malmö	55.583619	12.9683	27/02/2017	05/04/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Eurasian buzzard (common buzzard):Accipitridae(But eo buteo)	Animals	...	1	1	0	0			
Affected Population	This common buzzard was found alive apathic and died the day after and sent to the National Veterinary Institute for analysis as part of the routine surveillance of avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
SKÅNE LÄN-other report - submitted	-	Lund		Village	Lund	55.698376	13.18728	28/02/2017	10/03/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Rook:Corvidae(Corvus frugilegus)	Animals	...	1	1	0	0			
Affected Population	A rook (Corvus frugilegus) was found dead and was sent for analysis to the National Veterinary Institute as part of the routine surveillance program for avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
ÖSTERGÖTLANDS LÄN-other report - submitted	-	Valdemarsvik	Valdemarsvik	Other	Valdemarsvik	58.175015	16.717054	24/03/2017	06/04/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

Follow-up report No.: 14, Report reference: , OIE Ref: 24463, Report Date: 01/08/2017, Country: Sweden

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
White-tailed Eagle:Accipitridae(Haliaeetus albicilla)	Animals	...	1	1	0	0			
Affected Population	A sea eagle (Haliaeetus albicilla) was found dead and was then sent to the National Veterinary Institute for analysis as part of the routine surveillance of avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
ÖSTERGÖTLANDS LÄN-other report - submitted	-	Valdemarsvik	Valdemarsvik	Other	Valdemarsvik	58.175015	16.717054	24/03/2017	06/04/2017
White-tailed Eagle:Accipitridae(Haliaeetus albicilla)	Animals	...	1	1	0	0			
Affected Population	A sea eagle (Haliaeetus albicilla) was found dead and was then sent to the National Veterinary Institute for analysis as part of the routine surveillance of avian influenza.								

Län	Number of outbreaks	Kommun	City/village/farm	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
UPPSALA LÄN-other report - submitted	-	Uppsala	Uppsala	Not applicable	Uppsala	59.858133	17.633623	27/03/2017	07/04/2017
Peregrin falcon:Falconidae(Falco peregrinus)	Animals	...	1	1	0	0			
Affected Population	This Peregrine falcon was found dead and sent to the National Veterinary Institute for analysis as part of the routine surveillance of avian influenza.								

#### Outbreak summary: Total outbreaks = 37 (Submitted)

Species	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered
Common Goldeneye		1	1	0	0
White-tailed Eagle		11	11	0	0
Herring Gull		2	2	0	0
Black-headed Gull		3	0	3	0
Hooded Crow		3	2	1	0
Accipitridae (unidentified)		1	0	1	0
Common magpie		2	2	0	0
Eurasian buzzard (common buzzard)		3	2	1	0
Eurasian Sparrowhawk		1	1	0	0
Tufted Duck		1	1	0	0
Peregrin falcon		3	3	0	0
Mute Swan		15	12	3	0
Greylag Goose		2	2	0	0
Mallard		4	4	0	0
Rook		1	1	0	0

#### Epidemiology

##### Epidemiological comments

##### Source of the outbreak(s) or origin of infection



Epidemiological comments	
<p><b>Source of the outbreak(s) or origin of infection</b></p> <ul style="list-style-type: none"> <li>Unknown or inconclusive</li> </ul> <p>Warning : include(D:\Client\www.oie.int\fichiers\wahis_2\wahis\../temp/compiled(%0A^0A7^0A7578A8%%pdfcolumnListSlot.tpl.php) [function.include ]: failed to open stream: No such file or directory in D:\Client\www.oie.int\fichiers\wahis_2\library\smarty\Smarty.class.php on line 1870 Warning : include() [function.include ]: Failed opening 'D:\Client\www.oie.int\fichiers\wahis_2\wahis\../temp/compiled(%0A^0A7^0A7578A8%%pdfcolumnListSlot.tpl.php' for inclusion (include_path='D:\Client\www.oie.int\fichiers\wahis_2\wahis;D:\Client\www.oie.int\fichiers\wahis_2\wahis\../resource/classes;D:\Client\www.oie.int\fichiers\wahis_2\wahis\plugins;D:\Client\www.oie.int\fichiers\wahis_2\wahis\../library;D:\Client\www.oie.int\fichiers\wahis_2\wahis\modules;.:C:\php5\pear') in D:\Client\www.oie.int\fichiers\wahis_2\library\smarty\Smarty.class.php on line 1870</p>	
Animals treated	Vaccination Prohibited
No	Yes
Future Reporting	
The report and all its outbreaks have been resolved.	

## Outbreak maps

