

### Follow-up report No.63

Report reference: , Reference OIE : 25128, Report Date : 30/10/2017, Country : Nigeria

#### Report Summary

<b>Name of sender of the report</b>	Dr Gideon Mbursa Mshelbwala	<b>Telephone</b>	+234 837 863 843
<b>Position</b>	Director	<b>Fax</b>	
<b>Address</b>	Department of Veterinary & Pest Control Services FCDA Secretariat, Area 11, Garki ABUJA, FCT ABUJA	<b>Email</b>	gidmm@yahoo.com
		<b>Date submitted to OIE</b>	30/10/2017

<b>Animal type</b>	Terrestrial	<b>Date of report</b>	30/10/2017
<b>Disease</b>	Highly pathogenic avian influenza	<b>Date of start of the event</b>	02/01/2015
<b>Causal Agent</b>	Highly pathogenic avian influenza virus	<b>Date of confirmation of the event</b>	08/01/2015
<b>Serotype(s)</b>	H5N1	<b>Date of last occurrence</b>	27/07/2008
<b>Reason</b>	Recurrence of a listed disease	<b>Diagnosis</b>	Clinical, Laboratory (advanced)
<b>Country or zone</b>	the whole country	<b>Clinical signs</b>	Yes
<b>Number of reported outbreaks</b>	submitted= 434, Draft= 0		

#### Outbreak details

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Dala		Farm	Kurna	12.0356	8.48013	02/01/2015	15/01/2015
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	1568	1568	1370	0	198			
<b>Affected Population</b>	A backyard poultry farm consisting of 22-week-old layers, 10-week-old growers and 4-week-old broilers.								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Gamajigo	9.9724	8.8021	03/01/2015	03/05/2015
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	8790	39	39	8751	0			
<b>Affected Population</b>	49 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Gwale		Farm	Gidan Yan Mata	11.95362	8.32814	11/01/2015	15/01/2015
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	3500	750	735	0	0			
<b>Affected Population</b>									

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Gwale		Farm	Gangarangamawa Qtrs	11.9146	8.3024	12/01/2015	18/01/2015
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	570	172	172	0	0			
<b>Affected Population</b>	24-week-old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Farm	Shagari Qtrs	11.7168	8.3601	12/01/2015	20/01/2015
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1500	470	470	20	60			
Affected Population	Layers and 300 pullets which are not affected.								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Farm	Beichi	11.93334	8.50961	13/01/2015	19/01/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1600	1600	10	0	0			
Affected Population	10,310 layers of different ages. Those affected are 19 weeks old.								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Minjibir		Farm	Minjibir	11.8252	8.2423	13/01/2015	21/01/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	12057	2249	2249	0	0			
Affected Population	18-week-old pullets, 12-week-old growers and 10-week-old cockerels								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Gaya		Farm	Gaya	11.83001	9.139266	16/01/2015	22/01/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	6500	700	700	0	0			
Affected Population									

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Backyard	Bukuru	9.6952	8.757	16/01/2015	20/01/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	498	200	200	298	0			
Affected Population	475 layers and 23 local birds								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Ungogo		Farm	Ungogo	11.9289	8.3072	17/01/2015	22/01/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	4000	66	66	0	0			
Affected Population	45-week-old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Tofa		Farm	Maigarka	11.98138	8.39961	18/01/2015	26/01/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	16000	189	189	0	0			
Affected Population									

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Tofa		Farm	Tofa	11.97615	8.40195	18/01/2015	26/01/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	5091	35	35	0	0			
Affected Population									

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Tarauni		Farm	Tarauni	11.9288	8.1386	21/01/2015	30/01/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1095	75	75	0	0			
Affected Population									

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
JIGAWA-other report - submitted	-	Dutse		Backyard	Dutse	11.701111	9.341944	21/01/2015	27/01/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	50	3	3	46	0			
Affected Population	Local chickens and duck								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
JIGAWA-other report - submitted	-	Ringim		Backyard	Ringim	9.16244	12.154056	21/01/2015	23/01/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	300	30	30	0	0			
Affected Population	Chickens								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
JIGAWA-other report - submitted	-	Hadeija		Farm	Kofar fada	12.41448	10.00836	21/01/2015	27/01/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1200	150	150	1050	0			
Affected Population	Geese, ducks and chickens								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Tofa		Farm	Jaguza	11.987	8.4219	26/01/2015	30/01/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3950	70	70	3880	0			
Affected Population	40 weeks old birds								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Gezawa		Farm	Gunduwawa	12.0441	8.6388	26/01/2015	31/01/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3960	232	232	3728	0			
Affected Population	42 and 24 weeks layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Farm	U/Kwarai Chiranchi	11.9562	8.4059	26/01/2015	30/01/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1039	46	46	993	0			
Affected Population	58 and 32 weeks layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KATSINA-other report - submitted	-	Bakori		Farm	Bakori	11.569265	7.405056	26/01/2015	30/01/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	6000	550	550	5450	0			
Affected Population	35 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Jos	9.9492	8.85849	28/01/2015	30/01/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	15000	300	300	14700	0			
Affected Population									

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Farm	Kuyyan Ta gogo	11.9551	8.4311	28/01/2015	31/01/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	6521	128	128	633	0			
Affected Population	31 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Ungogo		Farm	Rimin Auzmawa	12.0213	8.4063	28/01/2015	30/01/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	8037	50	50	7987	0			
Affected Population	7 and 30 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
SOKOTO-other report - submitted	-	Sabon Brini		Farm	Sabon Brinin	13.515594	6.278958	29/01/2015	02/02/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1000	49	49	951	0			
Affected Population	Layers of unknown age in deep litter system								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
BAUCHI-other report - submitted	-	Toro		Farm	Toro	10.059692	9.071019	30/01/2015	02/02/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	9000	500	500	8500	0			
Affected Population									

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Zaria Road	10.3104	8.8272	30/01/2015	02/02/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	15000	300	300	14700	0			
Affected Population	Deep litter layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Apata	10.3244	8.7822	01/02/2015	04/02/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1622	604	604	1018	0			
Affected Population	23 weeks old layers in deep litter system								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-			Farm	Ranya Lowcost	9.9736	8.8158	01/02/2015	05/02/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3000	17	17	2983	0			
Affected Population	Layers on deep litter system								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Bauchi Road	10.0122	8.8109	02/02/2015	06/02/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3200	380	380	2820	0			
Affected Population	Layers on deep litter system								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Backyard	Alheri, Jos	9.9353	8.8448	02/02/2015	06/02/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	700	600	600	100	0			
Affected Population	Layers on backyard deep litter system								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
BAUCHI-other report - submitted	-	Katagum		Backyard	Azare	11.70341	10.17642	05/02/2015	09/02/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	15	8	8	7	0			
Affected Population	10 week old birds broilers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Dawakin Kudu		Farm	Dawakin Kudu	11.86023	8.58421	05/02/2015	10/02/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3850	77	77	3773	0			
Affected Population	35 week old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Backyard	Jos	9.90753	8.82201	05/02/2015	09/02/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	700	600	600	100	0			
Affected Population	Backyard layers.								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Ranya Lowcost	9.8966	9.0086	05/02/2015	08/02/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	5719	354	354	5365	0			
Affected Population	Layers on deep litter system								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
BAUCHI-other report - submitted	-	Toro		Farm	Toro	10.004448	8.943142	05/02/2015	10/02/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2700	10	10	2690	0			
Affected Population	33 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
BAUCHI-other report - submitted	-	Bauchi		Farm	Bauchi	10.307245	9.855008	06/02/2015	13/02/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3030	652	652	2378	0			
Affected Population	32 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted - Outbreak cluster	9			Farm	Kano	11.6636	8.4568	08/02/2015	13/02/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	35669	551	551	35118	0			
Affected Population	Layers between 25 to 44 weeks								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KADUNA-other report - submitted	-	Kaduna North		Backyard	Kaduna North	10.8305	7.6543	09/02/2015	17/02/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	680	15	15	665	0			
Affected Population	Layer birds kept at a backyard								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
SOKOTO-other report - submitted	-	Wamako		Farm	Gwiwa Low cost	13.2709	4.8435	11/02/2015	17/02/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	500	225	225	275	0			
Affected Population	25 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KATSINA-other report - submitted	-	Rimi		Farm	Rimi	12.632727	7.509427	13/02/2015	19/02/2015

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3360	105	105	3255	0			
Affected Population	22 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
SOKOTO-other report - submitted	-	D/Shuni		Farm	Dange	13.014	5.0719	14/02/2015	19/02/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1500	352	352	1148	0			
Affected Population	Layers of unknown age								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KATSINA-other report - submitted	-	Bakori		Farm	Bakori	11.580028	7.344632	21/02/2015	27/02/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	650	120	120	530	0			
Affected Population	20 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
NASARAWA-other report - submitted	-	Karu		Farm	Karu	9.126938	7.586331	23/02/2015	27/02/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2500	1400	1400	1100	0			
Affected Population	30 weeks layers on deep litter system								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
SOKOTO-other report - submitted	-	Bodinga		Farm	Bodinga	12.922012	5.108914	24/02/2015	27/02/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	5000	1280	1280	3720	0			
Affected Population	Layers on deep litter system								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
NASARAWA-other report - submitted	-	Karu		Farm	Karu	8.8642	7.635	26/02/2015	27/02/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2500	1400	1400	1100	0			
Affected Population	A deep litter system of production								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
BAUCHI-other report - submitted	-	Toro		Backyard	Toro	10.0638	9.0991	01/03/2015	10/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	351	21	21	0	0			
Affected Population	9 weeks old growers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KADUNA-other report - submitted	-	Chukun		Farm	Chukun	10.748	7.0108	01/03/2015	16/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2700	500	500	0	0			
Affected Population	Adult laying birds in a deep litter system.								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
BAUCHI-other report - submitted	-	Toro		Backyard	Toro	10.1695	9.0496	01/03/2015	23/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	351	21	21	0	0			
Affected Population	9 weeks old growers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Ungogo		Backyard	Ungogo	11.7234	8.2573	02/03/2015	05/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	255	55	55	0	0			
Affected Population	11 weeks old pullets at the backyard								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Farm	Kumbotso	11.7989	7.9897	02/03/2015	05/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1900	15	10	0	0			
Affected Population	52 weeks laying birds								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-			Farm	Nasarawa	12.0037	8.1794	02/03/2015	06/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1650	16	16	1634	0			
Affected Population	40 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-			Farm	Tofa	11.7212	8.4952	02/03/2015	07/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2315	28	28	2287	0			
Affected Population	30 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Farm	Kumbotso	12.0038	8.1315	02/03/2015	09/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	12500	400	400	12100	0			
Affected Population	18 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Farm	Kumbotso	11.9702	8.2619	02/03/2015	08/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			



State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3011	321	321	2690	0			
Affected Population	28 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Gezawa		Backyard	Gezawa	12.1088	8.7184	02/03/2015	09/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	689	19	19	670	0			
Affected Population	29 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Jos	9.9634	8.8305	02/03/2015	05/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	13570	156	156	13414	0			
Affected Population	57 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Jos	9.9579	8.8643	02/03/2015	08/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1700	38	38	1662	0			
Affected Population	Layers of 37 weeks old								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Ranya Lowcost	9.8953	8.7729	02/03/2015	09/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3200	108	108	3092	0			
Affected Population	69 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Ranya Lowcost	9.9188	8.7452	02/03/2015	05/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2350	29	29	0	0			
Affected Population	54 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Gamajigo	10.0393	8.7791	02/03/2015	03/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	5422	74	74	5348	0			
Affected Population	22 weeks old layers on deep litter								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Backyard	Ranya Lowcost	9.86252	8.8323	02/03/2015	03/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	900	41	41	859	0			
Affected Population	40 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Backyard	Rantya	9.86125	8.8269	02/03/2015	03/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	560	28	28	532	0			
Affected Population	41 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Backyard	Rantya	9.9863	8.7019	02/03/2015	05/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	320	12	12	308	0			
Affected Population	29 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Backyard	Kumbotso	11.8592	7.9536	02/03/2015	05/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	306	15	15	291	0			
Affected Population	31 weeks old laying birds								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Backyard	Jos	10.0357	8.8355	02/03/2015	07/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	281	36	36	245	0			
Affected Population	44 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Backyard	Jos	9.9678	8.816	02/03/2015	05/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	792	67	67	725	0			
Affected Population	44 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Backyard	Kumbotso	11.8592	7.9536	02/03/2015	05/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	306	15	15	291	0			
Affected Population	31 weeks old laying birds								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Dala		Farm	Dala	11.9531	8.1915	02/03/2015	18/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3010	30	30	0	0			
Affected Population	15 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Dawakin Kudu		Backyard	Dawakin Kudu	11.9702	8.3339	02/03/2015	12/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	880	60	60	0	0			
Affected Population	36 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Sumaila		Backyard	Sumaila	11.5098	8.7798	02/03/2015	16/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	700	84	84	0	0			
Affected Population	19 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Backyard	Jos	9.9291	8.8559	02/03/2015	12/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	966	102	102	0	0			
Affected Population	34 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KADUNA-other report - submitted	-	Kaduna South		Backyard	Kakuri	10.6434	7.6253	02/03/2015	13/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2590	800	200	0	0			
Affected Population	About 35 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Backyard	Fwagor Bukuru	9.8146	8.8644	03/03/2015	07/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	420	55	55	365	0			
Affected Population	48 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.86185	8.8303	03/03/2015	05/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	4300	45	45	4255	0			
Affected Population	30 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
BAUCHI-other report - submitted	-	Bauchi		Backyard	Bauchi	10.4658	9.9875	04/03/2015	08/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	311	17	17	0	0			
Affected Population	Mixture of broilers and layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Backyard	Rantiya low cost	9.9502	8.7554	04/03/2015	06/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	420	55	55	365	0			
Affected Population	48 weeks layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Backyard	Rantiya low cost	9.9166	8.7409	04/03/2015	09/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	360	12	12	0	0			
Affected Population	29 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Backyard	Jos	9.9871	8.913	04/03/2015	09/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	560	28	28	532	0			
Affected Population	41 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Zaria rd	10.0643	8.8069	04/03/2015	09/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	5422	102	102	5320	0			
Affected Population	22 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Gamajigo	9.98223	8.8303	04/03/2015	07/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	8240	21	21	8219	0			
Affected Population	48 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Backyard	Gamajigo	9.98157	8.8563	04/03/2015	07/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	128	4	4	124	0			
Affected Population	26 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Zarmagandan	9.84349	8.8729	04/03/2015	06/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1600	35	35	1565	0			
Affected Population	41 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Backyard	Alheri,Jos	9.93971	8.8706	04/03/2015	06/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	480	10	10	470	0			
Affected Population	40 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Gamajigo	9.97942	8.8515	04/03/2015	06/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	6490	18	18	6472	0			
Affected Population	11 weeks pullets and 42 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
BAUCHI-other report - submitted	-	Bauchi		Village	Bauchi	10.3618	9.6042	04/03/2015	09/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	11	2	2	0	0			
Affected Population	Free range birds								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Gamajigo	9.98055	8.8588	05/03/2015	07/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	7174	58	58	7116	0			
Affected Population	30 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Backyard	Rantya	9.86474	8.84033	05/03/2015	07/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	813	15	15	798	0			
Affected Population	25 weeks old layers and 8 weeks old broilers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	NEPA Mile 7	9.98957	8.85858	06/03/2015	09/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1830	31	31	1026	0			
Affected Population	19 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.85783	8.82451	06/03/2015	08/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	33652	3314	3314	30338	0			
Affected Population	4 weeks pullets and 39 weeks old layers.								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KATSINA-other report - submitted	-	Jibia		Farm	Jibiya	13.087932	7.377591	08/03/2015	16/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	16500	5195	5195	11305	0			
Affected Population	Layers and turkeys								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KATSINA-other report - submitted	-	Jibia		Farm	Jibiya	13.093282	7.372097	08/03/2015	13/04/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3000	30	30	2700	0			
Affected Population	30 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Gamajigo	9.98234	8.885344	09/03/2015	12/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	9675	182	182	9493	0			
Affected Population	34 weeks old layers and 4 weeks old pullets.								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Gamajigo	9.97818	8.881678	09/03/2015	11/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3699	34	34	3665	0			
Affected Population	34 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Haloza	9.97096	8.883946	09/03/2015	12/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2979	79	79	2900	0			
Affected Population	45 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Gada Biu	9.92994	8.87506	09/03/2015	11/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1855	16	6	0	0			
Affected Population	48 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.85887	8.82548	09/03/2015	11/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2300	48	48	2252	0			
Affected Population	40 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Gamajigo	9.97512	8.853	09/03/2015	13/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3400	84	84	3316	0			
Affected Population	Two different age groups of layers at 28 and 48 weeks old.								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Gamajigo	9.97512	8.853	09/03/2015	13/06/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3400	84	84	3316	0			
Affected Population	Layers in two age groups of 28 and 48 weeks old								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.85783	8.82451	09/03/2015	12/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1403	93	93	1310	0			
Affected Population	38 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Backyard	Bauchi Ring Rd	10.3346	8.8109	10/03/2015	11/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	600	38	38	0	0			
Affected Population	23 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Ranya Lowcost	9.9299	8.7532	10/03/2015	19/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1309	18	18	1291	0			
Affected Population	Layer birds in active lay								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.9155	8.7342	11/03/2015	16/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1100	22	22	1078	0			
Affected Population	33 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Backyard	Rantya	9.9779	8.7487	11/03/2015	15/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	800	6	6	794	0			
Affected Population	37 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Bukuru	9.81836	8.85665	11/03/2015	14/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	820	24	24	796	0			
Affected Population	39 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Backyard	Rantya	9.86855	8.83757	11/03/2015	14/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	620	6	6	614	0			
Affected Population	25 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Gamajigo	9.97893	8.85056	11/03/2015	15/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1450	26	26	1424	0			
Affected Population	21 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.86855	8.83753	11/03/2015	13/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	5201	106	106	5095	0			
Affected Population	37 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Low cost	9.9978	8.7004	11/03/2015	15/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	5201	106	106	5095	0			
Affected Population	22 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Backyard	Lowcost	9.8554	8.7077	12/03/2015	15/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	620	6	6	600	0			
Affected Population	30 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Federal low cost	9.87549	8.84711	12/03/2015	14/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			



State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1100	22	22	1078	0			
Affected Population	489 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-			Farm	Rantya	9.86915	8.82685	12/03/2015	16/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	5201	106	106	5095	0			
Affected Population	37 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-			Farm	Rantya	9.86915	8.82685	12/03/2015	16/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	5201	106	106	5095	0			
Affected Population	37 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Sabon Bariki	9.82341	8.86631	12/03/2015	14/06/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	6858	60	60	4698	0			
Affected Population	Two production types layers and broilers 30 and 8 weeks old respectively.								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Low cost area	9.9494	8.7146	13/03/2015	15/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1680	37	37	1643	0			
Affected Population	Layers of 22 weeks old								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Backyard	Rantya	9.86855	8.83753	13/03/2015	15/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	620	6	6	614	0			
Affected Population	25 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Gamajigo	9.97539	8.85457	13/03/2015	15/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	800	6	6	794	0			
Affected Population	96 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.85792	8.8236	13/03/2015	15/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1309	18	18	1291	0			
Affected Population	32 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Gamajigo	9.97539	8.8236	13/03/2015	16/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	800	6	6	794	0			
Affected Population	96 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.85792	8.8236	13/03/2015	16/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1309	18	18	1291	0			
Affected Population	32 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.86002	8.82131	13/03/2015	16/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3028	72	72	2956	0			
Affected Population	42 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.85786	8.82255	14/03/2015	16/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1680	37	37	1643	0			
Affected Population	34 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.86281	8.81722	14/03/2015	16/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3092	86	86	3006	0			
Affected Population	48 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.85887	8.82548	14/03/2015	16/04/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1180	28	28	1152	0			
Affected Population	20 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Gamajigo	9.90823	8.85269	14/03/2015	18/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2090	103	103	1987	0			
Affected Population	36 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.85786	8.82255	14/03/2015	17/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1680	37	37	1643	0			
Affected Population	34 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.86281	8.81722	14/03/2015	17/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3092	86	86	3006	0			
Affected Population	48 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-			Farm	Rantya	9.85887	8.82548	14/03/2015	17/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1180	28	28	1152	0			
Affected Population	20 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Backyard	Rantya	9.86082	8.82675	14/03/2015	17/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	139	8	8	131	0			
Affected Population	42 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Gamajigo	9.97512	8.85308	14/03/2015	17/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1789	6	6	1782	0			
Affected Population	72 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.85727	8.82182	14/03/2015	16/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	780	32	32	748	0			
Affected Population	23 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-			Farm	Rantya	9.85494	8.8316	15/03/2015	17/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	993	21	21	972	0			
Affected Population	23 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Gamajigo	9.98417	8.8546	15/03/2015	17/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1340	83	83	1257	0			
Affected Population	28 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Federal Low cost	9.878754	8.8435	15/03/2015	17/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1408	24	24	1384	0			
Affected Population	52 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Gamajigo	9.8417	8.8546	15/03/2015	18/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	4200	2498	2498	1702	0			
Affected Population	29 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Bukuru	9.81795	8.85635	15/03/2015	17/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	800	15	15	785	0			
Affected Population	Layers of unknown age								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Old Lamingo rd	9.93129	8.92407	16/03/2015	18/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	15734	165	165	15569	0			
Affected Population	Pullets, layers of 15 and 48 weeks old respectively.								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Backyard	NMDC Qtrs Zaria rd	9.98118	8.84385	16/03/2015	18/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	340	7	7	333	0			
Affected Population	37 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Gamajigo	9.97205	8.8568	16/03/2015	18/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	7322	108	108	7214	0			
Affected Population	26 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Gamajigo	9.98168	8.85692	16/03/2015	18/03/2015
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	1330	47	47	1283	0			
Affected Population	20 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Gamajigo	9.97926	8.8566	18/03/2015	20/03/2015
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	1031	81	81	210	0			
Affected Population	Layers, broilers and cockerels aged 72, 12 and 14 weeks respectively.								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Backyard	Gamajigo	9.97986	8.85677	19/03/2015	23/03/2015
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	350	7	7	343	0			
Affected Population	48 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.85727	8.82187	19/03/2015	22/03/2015
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	2287	18	18	0	0			
Affected Population	40 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.85727	8.82187	19/03/2015	22/03/2015
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	2287	18	18	0	0			
Affected Population	40 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Federal Low cost	9.87484	8.83935	19/03/2015	22/03/2015
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	15876	71	71	15805	0			
Affected Population	Layers of two different age groups (34 and 48 weeks old)								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.86643	8.83453	20/03/2015	23/03/2015
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	8586	31	31	8555	0			
Affected Population	38 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Fed Low cost	9.8736	8.8386	20/03/2015	23/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	8995	138	138	8857	0			
Affected Population	Layers of two different age groups (24 and 60 weeks old)								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.85783	8.81832	21/03/2015	23/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	5777	91	91	5686	0			
Affected Population	Layers of 25 and 38 weeks old								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Fed Low cost	9.87362	8.83802	21/03/2015	23/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3600	28	28	3572	0			
Affected Population	Layers and one week old broilers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Backyard	Kabong	9.92521	8.86746	23/03/2015	24/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	250	80	80	0	0			
Affected Population	31 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Army Eng. Zaria rd	9.97124	8.85036	23/03/2015	25/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	700	25	25	25	0			
Affected Population	35 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Laranto	9.95224	8.887201	23/03/2015	25/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	4570	38	38	4532	0			
Affected Population	36 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Gamajigo	9.97513	8.85309	23/03/2015	25/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	810	44	44	766	0			
Affected Population	40 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Kangang	9.85134	8.84722	23/03/2015	25/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1490	32	32	1458	0			
Affected Population	40 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KATSINA-other report - submitted	-	Jibia		Farm	Jibiya	13.109333	7.273221	23/03/2015	31/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1785	232	232	1553	0			
Affected Population	32 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Naraguta	9.96733	8.88936	24/03/2015	26/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1870	22	22	1848	0			
Affected Population	40 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KATSINA-other report - submitted	-	Katsina		Farm	Katsina	12.996957	7.564358	24/03/2015	31/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3700	98	98	3602	0			
Affected Population	22 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Backyard	NMDC Qtrs Zaria rd	9.98118	8.84385	25/03/2015	28/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	530	19	19	511	0			
Affected Population	56 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Rikkos	9.91717	8.90726	25/03/2015	26/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1300	240	240	0	0			
Affected Population	21 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Fed. Low cost	9.87493	8.83741	26/03/2015	29/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	5965	35	35	5930	0			
Affected Population	32 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Fed. Low cost	9.87904	8.84433	27/03/2015	30/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2160	26	26	2134	0			
Affected Population	72 and 10 weeks old layers and pullets respectively								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Fed. Low cost	9.87904	8.84433	27/03/2015	30/03/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2160	26	26	2134	0			
Affected Population	72 and 10 weeks old layers and pullets respectively								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.85899	8.81871	29/03/2015	01/04/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2740	72	72	2668	0			
Affected Population	34 week old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Backyard	Bauchi rd	9.9645	8.8577	30/03/2015	08/04/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1300	240	240	0	0			
Affected Population	Point of laying birds kept behind the residence.								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	NEPA Mile 7	9.98429	8.84146	30/03/2015	03/04/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1060	64	64	966	0			
Affected Population	72 and 33 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Backyard	Rantya	9.8674	8.84147	31/03/2015	03/04/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	269	17	17	252	0			
Affected Population	19 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Fed. Low cost	9.87362	8.83802	31/03/2015	03/04/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			



State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1940	25	25	1915	0			
Affected Population	76 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Backyard	Rukuba rd	9.92075	8.85537	02/04/2015	04/04/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	416	21	21	395	0			
Affected Population	38 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Fed. Low cost	9.87711	8.84954	02/04/2015	04/04/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	832	29	29	801	0			
Affected Population	Layers and turkeys								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Gamajigo	9.97358	8.85456	04/04/2015	06/04/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1540	89	89	1451	0			
Affected Population	52 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Backyard	Fed. Low cost	9.8743	8.8403	06/04/2015	08/04/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	340	19	19	321	0			
Affected Population	44 weeks old								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Fed. Low cost	9.87651	8.84795	07/04/2015	09/04/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	980	31	31	949	0			
Affected Population	31 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Zarmagandan	9.85358	8.86708	07/04/2015	13/04/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1100	23	23	1017	0			
Affected Population	24 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Backyard	Katanga	9.85388	8.85046	07/04/2015	10/04/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	682	23	23	659	0			
Affected Population	12 and 48 weeks old pullets and layers respectively								
State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Bauchi Ring rd	9.95245	8.90367	07/04/2015	12/04/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1307	19	19	1288	0			
Affected Population	Chickens and turkeys aged 33 and 20 weeks old.								
State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	NEPA Mile 7	9.98429	8.84146	08/04/2015	10/04/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	19379	9700	9700	9679	0			
Affected Population	12 weeks old layers								
State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KATSINA-other report - submitted	-	Katsina		Farm	Katsina	12.975547	7.580838	17/04/2015	25/04/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1050	350	350	700	0			
Affected Population	Layers of unknown age								
State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KATSINA-other report - submitted	-	Jibia		Farm	Jibiya	13.093282	7.273221	22/04/2015	28/04/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1950	650	650	1300	0			
Affected Population	33 weeks old layers								
State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KATSINA-other report - submitted	-	Katsina		Farm	Katsina	12.991605	7.635769	25/05/2015	04/06/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	81200	260	260	80940	0			
Affected Population	Commercial layers birds of about 34 weeks old.								
State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
NASARAWA-other report - submitted	-	Karu		Farm	Karu	9.029299	7.591824	05/07/2015	09/07/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	10000	1700	1700	8300	0			
Affected Population	25 weeks old layers								
State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
GOMBE-other report - submitted	-	Yamatu Deba		Farm	Bogo	10.26513	11.21409	24/08/2015	03/09/2015
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

Follow-up report No.: 63, Report reference: , OIE Ref: 25128, Report Date: 30/10/2017, Country: Nigeria

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	1000	370	350	0	0			
Affected Population	34 weeks old layers and broilers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
FEDERAL CAPITAL TERRITORY-other report - submitted	-	Municipal Area Council		Not applicable	Utako	8.8024	7.0799	10/09/2015	23/09/2015
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	800	400	400	0	0			
Affected Population	Broilers in a live bird market								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
JIGAWA-other report - submitted	-	Taura		Farm	Taura	12.0354	9.1364	02/10/2015	07/10/2015
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	4000	1000	1000	3000	0			
Affected Population	52 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Dala		Backyard	Dala	11.9217	8.3868	11/11/2015	15/11/2015
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	136	136	136	0	0			
Affected Population	24 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KADUNA-other report - submitted	-			Farm	Igabi	10.804954	7.706704	12/12/2015	14/12/2015
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	7500	1500	1500	6000	0			
Affected Population	16 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Farm	Danmaliki	11.930351	8.513989	21/12/2015	03/01/2016
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	900	16	16	884	0			
Affected Population	14 weeks old pullets								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Gezawa		Farm	Zainawa KNARDA QTRs	12.095482	8.739895	26/12/2015	03/01/2016
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	1950	150	150	1800	0			
Affected Population	Broilers of different ages (2-5 weeks old)								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Tofa		Farm	Janguza	12.051166	8.271603	29/12/2015	02/01/2016

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	12600	210	210	12390	0			
Affected Population	56 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
NASARAWA-other report - submitted	-	Karu		Farm	Karu	9.030175	7.58305	02/01/2016	06/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	10500	1635	1635	8865	0			
Affected Population	40 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Backyard	Kumbotso	11.6397	8.1674	03/01/2016	09/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	530	30	30	500	0			
Affected Population	19 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
FEDERAL CAPITAL TERRITORY-other report - submitted	-	Gwagwalada		Farm	Gwagwalada	8.6553	6.9331	04/01/2016	08/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1125	112	112	1013	0			
Affected Population	3-10 weeks old broilers and layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Tofa		Farm	Tofa	11.7411	8.7071	04/01/2016	08/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2000	46	46	1954	0			
Affected Population	22 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kano Municipal Council		Farm	Kano	11.9023	8.4639	04/01/2016	09/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	6900	171	171	6279	0			
Affected Population	Layers of unknown age								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	T/wada		Farm	T/Wada	11.2478	8.3868	05/01/2016	09/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2500	300	300	2200	0			
Affected Population	38 and 65 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Backyard	Bukuru	9.7945	8.9078	05/01/2016	09/01/2016

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1000	76	76	924	0			
Affected Population	16 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
FEDERAL CAPITAL TERRITORY-other report - submitted	-	Kuje		Farm	Kuje	9.1471	7.5905	06/01/2016	10/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	80000	20000	20000	60000	0			
Affected Population	Layers of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Farm	Kumbotso	11.5649	8.3197	06/01/2016	09/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	5635	83	83	5552	0			
Affected Population	38 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
FEDERAL CAPITAL TERRITORY-other report - submitted	-	Kuje		Farm	Kuje	8.7376	7.2557	08/01/2016	12/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	180000	18000	18000	162000	0			
Affected Population	29- 70 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Tofa		Farm	Tofa	11.6277	8.6373	08/01/2016	11/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2918	66	66	2852	0			
Affected Population	12 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Jos	10.0021	8.845	09/01/2016	12/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	7000	3000	3000	4000	0			
Affected Population	Layers of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Backyard	Angle D	9.8095	8.888	09/01/2016	12/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	391	11	11	380	0			
Affected Population	52 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
-------	---------------------	------------------	----------	-----------	----------	----------	-----------	------------	-----------

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Farm	Kumbotso	11.9323	8.2902	09/01/2016	12/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	7824	66	66	7758	0			
Affected Population	32-42 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Bukuru	9.7752	8.8652	10/01/2016	11/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3200	320	320	2880	0			
Affected Population	Layers of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
BAUCHI-other report - submitted	-	Toro		Farm	Toro	10.1332	9.1579	10/01/2016	13/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2411	1500	1500	911	0			
Affected Population	Layers of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Backyard	Kumbotso	11.7193	8.3293	10/01/2016	15/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	23406	28	28	23378	0			
Affected Population	29,52 and 60 weeks old layers and pigeons								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KATSINA-other report - submitted	-	Dandume		Farm	Dandume	12.9149	7.5431	11/01/2016	17/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	900	94	94	606	0			
Affected Population	Layers of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Gwale		Backyard	Gwale	12.0591	8.2976	11/01/2016	15/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	32	9	9	23	0			
Affected Population	54 weeks different species of birds (geese,turkeys,Guineafowls, local chickens and peacocks)								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Tofa		Backyard	Tofa	11.777	8.5503	11/01/2016	15/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	196	25	25	171	0			
Affected Population	18 and 52 week old different avian species (geese, peacocks, local chickens and turkeys)								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
-------	---------------------	------------------	----------	-----------	----------	----------	-----------	------------	-----------

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Gwale		Not applicable	Gwale	11.9461	8.3868	11/01/2016	15/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	25	10	10	15	0			
Affected Population	Different species of birds( Crowned crane, drakes and local chickens)								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	10.0163	8.7776	12/01/2016	14/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3500	150	150	3350	0			
Affected Population	Layers of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Backyard	Bukuru	9.8726	8.811	12/01/2016	14/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	650	50	50	600	0			
Affected Population	Layers of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KADUNA-other report - submitted	-	Kaduna North		Farm	Kaduna	10.6033	7.3045	12/01/2016	15/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	30000	150	150	29850	0			
Affected Population	Layers of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Farm	Kumbotso	11.6324	8.3775	12/01/2016	15/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	850	19	19	830	0			
Affected Population	52 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Gwale		Farm	Gwale	11.6423	8.4833	12/01/2016	15/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	150	11	11	139	0			
Affected Population	3 weeks old broilers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Gwale		Backyard	Gwale	11.6275	8.3961	12/01/2016	15/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	15	3	3	12	0			
Affected Population	52 weeks old ducks								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
-------	---------------------	------------------	----------	-----------	----------	----------	-----------	------------	-----------

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kura		Farm	Kura	11.8428	8.3842	12/01/2016	18/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	5970	49	49	5921	0			
Affected Population	66 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
ADAMAWA-other report - submitted	-	Tounga		Farm	Tounga	9.6678	12.5598	13/01/2016	16/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	21000	1200	1200	19800	0			
Affected Population	Layers and cocks of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Dala		Farm	Dala	11.9891	8.3484	13/01/2016	18/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	82	6	6	76	0			
Affected Population	2,18,24 & 52 weeks old Turkeys								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Backyard	Jos	9.9388	8.8356	13/01/2016	15/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	150	50	50	100	0			
Affected Population	Layers of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Bukuru	9.7953	8.8446	14/01/2016	16/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	500	150	150	350	0			
Affected Population	Layers of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kura		Backyard	Kura	11.8353	8.3343	14/01/2016	18/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	300	60	60	240	0			
Affected Population	56 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Tofa		Farm	Tofa	11.8977	8.6129	14/01/2016	18/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1516	58	58	1458	0			
Affected Population	29 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
-------	---------------------	------------------	----------	-----------	----------	----------	-----------	------------	-----------



State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Farm	Kumbotso	11.7869	8.2038	14/01/2016	20/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	5577	150	150	5427	0			
Affected Population	17 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Farm	Kumbotso	11.9412	8.2375	14/01/2016	19/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	8373	247	247	8126	0			
Affected Population	46 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Gwale		Farm	Gwale	12.0014	8.4324	14/01/2016	19/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	750	48	48	702	0			
Affected Population	3 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Tarauni		Farm	Tarauni	11.97697	8.55474	15/01/2016	19/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	810	85	85	725	0			
Affected Population	Layers of 32 weeks old								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Farm	Kumbotso	11.8833	8.1555	16/01/2016	20/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	800	58	58	742	0			
Affected Population	80 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Farm	Kumbotso	12.0954	8.0974	16/01/2016	20/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1520	11	11	1509	0			
Affected Population	Layers of 37 weeks old								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Nasarawa		Farm	Nasarawa	11.9215	8.3623	16/01/2016	19/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1350	35	35	1315	0			
Affected Population	27 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
-------	---------------------	------------------	----------	-----------	----------	----------	-----------	------------	-----------

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
FEDERAL CAPITAL TERRITORY-other report - submitted	-	Karu		Farm	Karu	8.9998	7.5039	17/01/2016	19/01/2016
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	350	160	160	190	0			
Affected Population	Layers of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Bassa		Farm	Miango road	9.86291	8.86645	17/01/2016	19/01/2016
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	10000	309	309	9691	0			
Affected Population	28 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Gwale		Farm	Gwale	11.8058	8.3821	18/01/2016	22/01/2016
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	1733	32	32	1701	0			
Affected Population	11 weeks old pullets								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Farm	Kumbotso	11.8156	8.2328	18/01/2016	23/01/2016
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	2660	116	116	2544	0			
Affected Population	Layers of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KADUNA-other report - submitted	-	Igabi		Farm	Igabi	10.7986	7.4805	19/01/2016	23/01/2016
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	4526	559	559	3967	0			
Affected Population	Layers of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Ungogo		Farm	Ungogo	11.8827	8.3436	19/01/2016	22/01/2016
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	3200	219	219	2981	0			
Affected Population	68 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Gezawa		Farm	Gezawa	12.0993	8.7091	19/01/2016	24/01/2016
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	800	106	106	694	0			
Affected Population	52 weeks old layers								

Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
FEDERAL CAPITAL TERRITORY-other report - submitted	-	Kuje		Farm	Kuje	8.8364	7.3932	20/01/2016	23/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2480	80	80	2400	0			
Affected Population	14 weeks old pullets and cockerels								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.7804	8.8257	20/01/2016	22/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	8000	1000	1000	7000	0			
Affected Population	Layers of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Farm	Kumbotso	11.7962	8.3195	20/01/2016	24/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	4500	150	150	4350	0			
Affected Population	58 and 68 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KADUNA-other report - submitted	-	Kaduna South		Farm	Kakuri	10.2658	7.6273	20/01/2016	23/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	928	35	35	893	0			
Affected Population	Multiple species of birds: Turkeys, geese, broilers, layers, Guinea fowls and ducks								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
FEDERAL CAPITAL TERRITORY-other report - submitted	-	Kuje		Farm	Kuje	8.8195	7.3764	20/01/2016	23/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3206	16	16	3190	0			
Affected Population	Breeder turkeys, broilers, pullets and cokerels of 6, 12 and 52 weeks old								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Tudun wada	9.8778	8.8159	20/01/2016	25/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	6091	77	77	6014	0			
Affected Population	30 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KADUNA-other report - submitted	-	Kaduna South		Farm	Dogorawa,Sakadadi rd	10.3021	7.5287	21/01/2016	24/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	9150	1285	1285	7865	0			
Affected Population	68 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Dogon Karfe	9.9137	8.9531	21/01/2016	25/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	4490	9	9	4481	0			
Affected Population	32 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos East		Farm	Kwanga	10.2471	8.9696	22/01/2016	25/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1586	42	42	1544	0			
Affected Population	50 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.9302	8.7966	22/01/2016	25/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3210	105	105	3105	0			
Affected Population	17 and 50 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Katako	9.9351	8.8354	23/01/2016	25/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	5630	180	180	5450	0			
Affected Population	36 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.9597	8.8061	23/01/2016	25/01/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1137	23	23	1114	0			
Affected Population	58 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Farm	Kumbotso	11.576	8.2453	27/01/2016	02/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	670	100	100	570	0			
Affected Population	38 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Jos	9.93557	8.90053	29/01/2016	01/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1890	100	100	1790	0			
Affected Population	Layers of 48 weeks old								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
-------	---------------------	------------------	----------	-----------	----------	----------	-----------	------------	-----------

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Bebeji		Farm	Bebeji	11.665465	8.257631	29/01/2016	02/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	200000	1562	1562	198438	0			
Affected Population	pullets and layers of 7 and 70 weeks old								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
FEDERAL CAPITAL TERRITORY-other report - submitted	-	Kuje		Farm	Kuje	8.896	7.172	30/01/2016	02/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	4625	73	73	4552	0			
Affected Population	Layers of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Backyard	Rantya	8.85206	9.86908	30/01/2016	02/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	216	15	15	201	0			
Affected Population	20 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Backyard	Kumbotso	11.926601	8.513924	30/01/2016	02/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	400	13	13	387	0			
Affected Population	42 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Gwale		Backyard	Gwale	11.984845	8.519137	31/01/2016	02/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2	1	1	1	0			
Affected Population	58 weeks old birds								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Rano		Farm	Rano	11.556505	8.584152	31/01/2016	02/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	711	62	62	649	0			
Affected Population	19 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.86465	8.8257	01/02/2016	02/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2035	26	26	2009	0			
Affected Population	26 weeks old layers								

Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Dawakin Kudu		Farm	Dawakin Kudu	11.9281	8.5045	01/02/2016	03/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	4500	350	350	4150	0			
Affected Population	24 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Farm	Kumbotso	11.8632	8.5441	01/02/2016	03/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2500	67	67	2433	0			
Affected Population	49 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-			Backyard	Rantya	9.86902	8.8493	01/02/2016	03/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	370	6	6	364	0			
Affected Population	52 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
JIGAWA-other report - submitted	-	Maigatari		Farm	Maigatari	12.8039	9.4489	01/02/2016	07/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3105	800	800	2305	0			
Affected Population	6 weeks old broilers and layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Municipal		Backyard	Kano	11.9865	8.5213	01/02/2016	07/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	120	29	29	91	0			
Affected Population	22 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Bukuru	9.79105	8.86725	02/02/2016	03/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	785	31	31	754	0			
Affected Population	29 & 52 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-			Farm	Rantya	9.88797	8.86548	02/02/2016	04/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	690	48	48	642	0			
Affected Population	15 weeks old pullets								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
-------	---------------------	------------------	----------	-----------	----------	----------	-----------	------------	-----------

Follow-up report No.: 63, Report reference: , OIE Ref: 25128, Report Date: 30/10/2017, Country: Nigeria

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
ADAMAWA-other report - submitted	-	Ganye		Farm	Ganye	12.07458	8.43428	02/02/2016	07/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	7200	1950	1950	5250	0			
Affected Population	29 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
ADAMAWA-other report - submitted	-	Yola North		Farm	Yola	12.43466	9.27883	02/02/2016	07/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	700	230	230	470	0			
Affected Population	7 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Gwale		Backyard	Gwale	11.9881	8.5145	02/02/2016	07/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	300	50	50	250	0			
Affected Population	18 weeks old pullets								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Nasarawa		Farm	Nasarawa	11.9855	8.5604	02/02/2016	07/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3010	130	130	2880	0			
Affected Population	8 weeks old pullets								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KADUNA-other report - submitted	-	Tarauni		Farm	Tarauni	11.9732	8.5509	02/02/2016	07/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3068	49	49	3019	0			
Affected Population	38 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
EBONYI-other report - submitted	-	Ohuakwu		Farm	Ohuakwu	6.3702	8.0583	02/02/2016	08/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1950	195	195	1755	0			
Affected Population	2, 7 and 16 weeks old birds of different production types.								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
JIGAWA-other report - submitted	-	Garki		Farm	Garki	12.4314	9.1934	03/02/2016	07/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	5000	750	750	4250	0			
Affected Population	60 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
-------	---------------------	------------------	----------	-----------	----------	----------	-----------	------------	-----------

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KADUNA-other report - submitted	-	Lere		Farm	Lere	10.4431	8.6568	03/02/2016	07/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1700	52	52	1648	0			
Affected Population	Layers of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Farm	Kumbotso	11.9237	8.5141	03/02/2016	07/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	9475	110	110	9365	0			
Affected Population	8 weeks old pullets								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Farm	Kumbotso	11.9295	8.5136	03/02/2016	07/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	972	15	15	957	0			
Affected Population	22 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Dawakin Kudu		Backyard	Dawakin Kudu	11.8439	8.5991	03/02/2016	06/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	5206	48	48	5158	0			
Affected Population	39 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Bagwai		Backyard	Bagwai	12.1557	8.1403	03/02/2016	06/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	450	85	85	365	0			
Affected Population	18 weeks old pullets								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
FEDERAL CAPITAL TERRITORY-other report - submitted	-	Kuje		Farm	Kuje	8.39	7.183	03/02/2016	07/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1061	29	29	1032	0			
Affected Population	6 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Gezawa		Backyard	Gezawa	12.0941	8.7622	04/02/2016	07/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	300	50	50	250	0			
Affected Population	4 weeks old broilers								



Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
FEDERAL CAPITAL TERRITORY-other report - submitted	-	Kuje		Farm	Kuje	8.36	7.183	04/02/2016	08/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	804	18	18	786	0			
Affected Population	6 weeks old broilers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
FEDERAL CAPITAL TERRITORY-other report - submitted	-	Kuje		Farm	Kuje	8.39	7.183	04/02/2016	07/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	702	70	70	632	0			
Affected Population	Broilers of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
BAUCHI-other report - submitted	-	Toro		Farm	Toro	10.01864	8.946	04/02/2016	08/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3000	6	6	2994	0			
Affected Population	24 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KEBBI-other report - submitted	-	Brinin Kebbi		Farm	Brinin Kebbi	12.582	4.1874	04/02/2016	10/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1500	600	600	900	0			
Affected Population	layers of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Ungogo		Farm	Ungogo	12.0917	8.4911	05/02/2016	09/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1300	80	80	1220	0			
Affected Population	17 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
FEDERAL CAPITAL TERRITORY-other report - submitted	-	Kuje		Farm	Kuje	8.906	7.161	05/02/2016	09/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	13511	55	55	13456	0			
Affected Population	50 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
FEDERAL CAPITAL TERRITORY-other report - submitted	-	AMAC		Farm	Municipal	8.9204	7.5599	05/02/2016	09/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	512	3	3	509	0			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Affected Population	7 weeks old broilers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KANO-other report - submitted	-	Dawakin Kudu		Farm	D/kudu	11.9653	8.6563	05/02/2016	10/02/2016
Birds	Animals	10209	52	52	10157	0			
Affected Population	48 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
PLATEAU-other report - submitted	-	Jos North		Farm	Jos	9.89697	8.87025	06/02/2016	09/02/2016
Birds	Animals	2569	156	156	2413	0			
Affected Population	Mixed bird species of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KADUNA-other report - submitted	-	Kaduna South		Farm	Kurmin Mashi	10.2254	7.2434	06/02/2016	09/02/2016
Birds	Animals	9602	3638	3638	5964	0			
Affected Population	layers of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KADUNA-other report - submitted	-	Kaduna South		Farm	Kurmin Mashi	10.2254	7.2434	06/02/2016	09/02/2016
Birds	Animals	9602	3638	3638	5964	0			
Affected Population	layers of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KANO-other report - submitted	-	Kumbotso		Farm	Kumbotso	11.9246	8.5016	06/02/2016	08/02/2016
Birds	Animals	3000	447	447	2553	0			
Affected Population	6 weeks old pullets								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KANO-other report - submitted	-	Rogo		Farm	Rogo	12.0832	8.0904	06/02/2016	10/02/2016
Birds	Animals	500	20	20	480	0			
Affected Population	15 weeks old pullets								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KANO-other report - submitted	-	Kumbotso		Farm	Kumbotso	11.8302	8.4642	06/02/2016	10/02/2016
Birds	Animals	930	142	142	788	0			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Affected Population	14 weeks old pullets								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
PLATEAU-other report - submitted	-	Jos North		Farm	Jos	9.90324	8.86647	07/02/2016	09/02/2016
Birds	Animals	650	19	19	631	0			
Affected Population	18 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KANO-other report - submitted	-	Rimin Gado		Backyard	Rimin Gado	11.6526	8.0497	07/02/2016	10/02/2016
Birds	Animals	470	10	10	460	0			
Affected Population	52 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KANO-other report - submitted	-	Garo		Backyard	Garo	12.0279	8.1075	07/02/2016	10/02/2016
Birds	Animals	300	20	20	280	0			
Affected Population	37 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KANO-other report - submitted	-	Nasarawa		Farm	Nasarawa	12.0327	8.3675	07/02/2016	10/02/2016
Birds	Animals	920	70	70	850	0			
Affected Population	8 and 12 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.84788	8.84769	08/02/2016	10/02/2016
Birds	Animals	2820	228	228	2592	0			
Affected Population	18 and 60 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
ZAMFARA-other report - submitted	-	Kaura Namoda		Farm	K/Namoda	12.60031	6.58975	09/02/2016	14/02/2016
Birds	Animals	18000	3435	3435	14565	0			
Affected Population	Layers of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KATSINA-other report - submitted	-	Batagarawa		Farm	Batagarawa	12.9065	7.6162	10/02/2016	16/02/2016
Birds	Animals	5000	60	60	4940	0			

Follow-up report No.: 63, Report reference: , OIE Ref: 25128, Report Date: 30/10/2017, Country: Nigeria

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Affected Population	Layers of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
PLATEAU-other report - submitted	-	Bassa		Farm	Bassa	9.9099	8.80471	11/02/2016	14/02/2016
Birds	Animals	6884	200	200	6684	0			
Affected Population	29 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KANO-other report - submitted	-	Kumbotso		Farm	Kumbotso	11.9261	8.5024	11/02/2016	15/02/2016
Birds	Animals	952	85	85	867	0			
Affected Population	45 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KANO-other report - submitted	-	Gwale		Farm	Gwale	11.9025	8.3049	12/02/2016	15/02/2016
Birds	Animals	120	35	35	85	0			
Affected Population	30 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KANO-other report - submitted	-	Garum mallam		Backyard	Garum Mallam	11.6844	8.3736	12/02/2016	15/02/2016
Birds	Animals	4600	190	190	4410	0			
Affected Population	20 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KANO-other report - submitted	-	Nasarawa		Farm	Nasarawa	11.9993	8.5654	12/02/2016	15/02/2016
Birds	Animals	940	47	47	893	0			
Affected Population	30 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KANO-other report - submitted	-	Nasarawa		Backyard	Nasarawa	11.9993	8.5744	12/02/2016	18/02/2016
Birds	Animals	70	10	10	60	0			
Affected Population	52 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KANO-other report - submitted	-	Tofa		Farm	Tofa	12.0553	8.2763	13/02/2016	18/02/2016
Birds	Animals	987	30	30	957	0			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Affected Population	28 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KANO-other report - submitted	-	Nasarawa		Farm	Nasarawa	12.0018	8.5774	14/02/2016	18/02/2016
Birds	Animals	1050	29	29	1021	0			
Affected Population	19 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KANO-other report - submitted	-	Dala		Backyard	Dala	12.00601	8.5147	14/02/2016	18/02/2016
Birds	Animals	200	38	38	162	0			
Affected Population	28 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KANO-other report - submitted	-	Jos South		Farm	Ranya Lowcost	9.86176	8.86206	14/02/2016	17/02/2016
Birds	Animals	4500	20	20	4480	0			
Affected Population	64 and 80 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
PLATEAU-other report - submitted	-	Jos North		Farm	Jos	9.9542	8.9007	15/02/2016	16/02/2016
Birds	Animals	6200	100	100	6100	0			
Affected Population	Layers of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KANO-other report - submitted	-	Kumbotso		Backyard	Kumbotso	11.9293	8.4901	15/02/2016	18/02/2016
Birds	Animals	230	20	20	210	0			
Affected Population	40 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KANO-other report - submitted	-	Kumbotso		Farm	Kumbotso	11.92787	8.52308	16/02/2016	22/02/2016
Birds	Animals	5120	50	50	5070	0			
Affected Population	26 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KANO-other report - submitted	-	Kumbotso		Farm	Kumbotso	11.91763	8.50142	17/02/2016	22/02/2016
Birds	Animals	3490	82	82	3408	0			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Affected Population	33 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KANO-other report - submitted	-	Tarauni		Farm	Tarauni	11.9746	8.5631	20/02/2016	26/02/2016
Birds	Animals	2017	45	45	1972	0			
Affected Population	31 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KANO-other report - submitted	-	Gwale		Farm	Gwale	11.9836	8.5111	22/02/2016	26/02/2016
Birds	Animals	1040	35	35	1005	0			
Affected Population	38 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KANO-other report - submitted	-	Kumbotso		Backyard	Kumbotso	11.9289	8.4725	22/02/2016	26/02/2016
Birds	Animals	300	60	60	240	0			
Affected Population	28 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.83577	8.8589	22/02/2016	26/02/2016
Birds	Animals	1078	41	41	1037	0			
Affected Population	5 and 56 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
KADUNA-other report - submitted	-	Kaduna North		Farm	Kaduna	10.5761	7.6445	24/02/2016	26/02/2016
Birds	Animals	2886	366	366	2520	0			
Affected Population	Layers of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
FEDERAL CAPITAL TERRITORY-other report - submitted	-	AMAC		Farm	Kabusa	8.943	7.456	24/02/2016	29/02/2016
Birds	Animals	5799	954	954	4845	0			
Affected Population	5, 6 and 45 weeks old poultry								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.82682	8.86258	24/02/2016	03/03/2016

Follow-up report No.: 63, Report reference: , OIE Ref: 25128, Report Date: 30/10/2017, Country: Nigeria

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	6451	400	400	6051	0			
Affected Population	21-68 weeks old Layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Tofa		Farm	Tofa	11.9974	8.3536	25/02/2016	03/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	68000	53	53	67947	0			
Affected Population	30-57 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Nasarwa		Farm	Nasarawa	11.9948	8.5748	26/02/2016	01/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1050	19	19	1031	0			
Affected Population	22 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Backyard	Rantya	9.85261	8.85594	26/02/2016	02/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	458	5	5	453	0			
Affected Population	20 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Rogo		Backyard	Rogo	11.5489	7.8216	26/02/2016	03/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	186	20	20	166	0			
Affected Population	18 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kabo		Farm	Kabo	11.9069	8.2326	26/02/2016	03/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2350	65	65	2285	0			
Affected Population	35 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Dadin Kowa	8.70243	9.13629	27/02/2016	29/02/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1050	570	570	480	0			
Affected Population	Pullets of 53 weeks old								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Backyard	Rantya	9.83053	8.85663	27/02/2016	02/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	456	30	30	426	0			
Affected Population	29 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Farm	Kumbotso	11.9311	8.4784	27/02/2016	03/03/2016
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	850	150	150	700	0			
Affected Population	32 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
BENUE-other report - submitted	-	Otukpo		Backyard	Otukpo	7.2006	8.11628	27/02/2016	04/03/2016
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	350	148	148	202	0			
Affected Population	6 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Tarauni		Backyard	Tarauni	11.9869	8.5598	29/02/2016	01/03/2016
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	350	20	20	330	0			
Affected Population	Pullets of 17 weeks old								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Gwale		Backyard	Gwale	11.9851	8.5014	29/02/2016	01/03/2016
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	18	4	4	14	0			
Affected Population	6 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Jos	9.89944	8.88723	29/02/2016	02/03/2016
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	2050	53	53	1997	0			
Affected Population	pullets and layers of 17 and 56 weeks old respectively								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos East		Farm	Angware	9.85348	8.01702	29/02/2016	03/03/2016
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	39763	1500	1500	38263	0			
Affected Population	31 and 100 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos East		Farm	Angware	9.85348	8.01702	29/02/2016	03/03/2016
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			



State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	39763	1500	1500	38263	0			
Affected Population	31 and 100 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Jos	9.91052	8.86477	01/03/2016	03/03/2016
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	690	7	7	683	0			
Affected Population	Mixed bird species-Pullets,geese,turkeys and broilers of12 weeks old								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Backyard	Bauchi rd	9.9006	8.88721	01/03/2016	03/03/2016
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	248	5	5	243	0			
Affected Population	42 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Backyard	Jos	9.94379	8.89447	01/03/2016	04/03/2016
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	382	20	20	362	0			
Affected Population	56 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
FEDERAL CAPITAL TERRITORY-other report - submitted	-	AMAC		Farm	AMAC	8.88	7.578	01/03/2016	04/03/2016
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	1499	75	75	1424	0			
Affected Population	18 weeks old pullets								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
ZAMFARA-other report - submitted	-	Gusau		Farm	Gusau	12.1636	6.6164	01/03/2016	07/03/2016
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	8699	228	228	8471	0			
Affected Population	Pullets of unknown age								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Dawakin Kudu		Backyard	Dawakin Kudu	11.8424	8.5765	01/03/2016	10/03/2016
<b>Species</b>	<b>Measuring units</b>	<b>Susceptible</b>	<b>Cases</b>	<b>Deaths</b>	<b>Killed and disposed of</b>	<b>Slaughtered</b>			
Birds	Animals	270	29	29	241	0			
Affected Population	44 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Backyard	Rantya	9.79097	8.85703	02/03/2016	04/03/2016

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	465	7	7	458	0			
Affected Population	19 weeks old pullets								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Jos	9.92086	8.90739	02/03/2016	04/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	886	60	60	826	0			
Affected Population	20 and 48 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Gezawa		Farm	Gezawa	12.0951	8.7611	02/03/2016	10/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1350	220	220	1130	0			
Affected Population	22 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Ungogo		Backyard	Ungogo	12.0714	8.5021	02/03/2016	10/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	77	15	15	62	0			
Affected Population	Different species of birds (local chickens, Guinea fowls and Turkeys) kept in the same environment.								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
BAUCHI-other report - submitted	-	Toro		Farm	Toro	10.1621	9.2597	04/03/2016	07/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	5000	263	263	4737	0			
Affected Population	Pullets of unknown age								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Ungogo		Backyard	Ungogo	12.0934	8.4993	04/03/2016	10/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	111	28	28	83	0			
Affected Population	28 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KADUNA-other report - submitted	-	Lere		Farm	Lere	10.45244	8.6452	06/03/2016	09/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3500	80	80	3420	0			
Affected Population	36 and 96 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Dawakin Tofa		Farm	Dawakin Tofa	12.0868	8.8291	06/03/2016	10/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

Follow-up report No.: 63, Report reference: , OIE Ref: 25128, Report Date: 30/10/2017, Country: Nigeria

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2050	62	62	1988	0			
Affected Population	21 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-			Farm	Ranya Lowcost	9.86116	8.8265	07/03/2016	09/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	845	20	20	825	0			
Affected Population	38 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.87092	8.83276	07/03/2016	09/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1520	105	105	1415	0			
Affected Population	31 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.82847	8.85518	07/03/2016	09/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	970	100	100	870	0			
Affected Population	48 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Ranya Lowcost	9.83391	8.86002	07/03/2016	09/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	517	26	26	491	0			
Affected Population	14 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Jos	9.9422	8.8762	07/03/2016	10/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	800	130	130	670	0			
Affected Population	Pullets of unknown age								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Jos	9.90154	8.88745	08/03/2016	10/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	850	11	11	839	0			
Affected Population	44 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KATSINA-other report - submitted	-	Batagarawa		Farm	Batagarawa	12.2638	7.297	08/03/2016	13/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	51303	1364	1364	49939	0			
Affected Population	Layers of unknown age								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Backyard	Rantiya low cost	9.83465	8.86254	09/03/2016	11/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	380	60	60	320	0			
Affected Population	27 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Backyard	Rantiya low cost	9.79097	8.85703	09/03/2016	11/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	465	7	7	458	0			
Affected Population	19 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
SOKOTO-other report - submitted	-	Dange Shuni		Farm	Dange	12.9057	5.3396	10/03/2016	14/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	6000	1135	1135	4865	0			
Affected Population	Broilers and layers of 5 and 20 weeks old respectively								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
BAUCHI-other report - submitted	-	Toro		Farm	Toro	10.2684	9.2693	10/03/2016	15/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	61000	2251	2251	58749	0			
Affected Population	Pullets and layers of unknown age								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Dawakin Tofa		Farm	D/Tofa	11.8399	8.3192	10/03/2016	15/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2108	300	300	1808	0			
Affected Population	Pullets of 16 weeks old								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Madobi		Farm	Madobi	11.9166	8.2852	10/03/2016	15/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	4200	10	10	4190	0			
Affected Population	Layers of 30 and 52 weeks old								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
ZAMFARA-other report - submitted	-	Bungudu		Farm	Bungudu	12.0651	6.5366	11/03/2016	17/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3000	57	57	2943	0			
Affected Population	Layers of unknown age								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
SOKOTO-other report - submitted	-	Dange Shuni		Farm	Dange	12.9057	5.3396	12/03/2016	14/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	6000	1135	1135	4865	0			
Affected Population	Broilers and layers of 5 and 20 weeks old respectively								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Minjibir		Farm	Minjibir	11.883	8.6275	12/03/2016	15/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	11567	220	220	11347	0			
Affected Population	30 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Ranya Lowcost	9.8369	8.92143	12/03/2016	15/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	4300	110	110	4190	0			
Affected Population	35 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Minjibir		Farm	Minjibir	12.1925	8.6281	12/03/2016	17/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	5701	58	58	5643	0			
Affected Population	36 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KATSINA-other report - submitted	-	Rimi		Farm	Rimi	12.8512	7.7048	13/03/2016	17/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2000	193	193	1807	0			
Affected Population	Layers of unknown age								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kura		Backyard	Kura	11.7268	8.2254	13/03/2016	18/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	152	40	40	112	0			
Affected Population	Different bird species: ducks, geese and fowls								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Nasarawa		Farm	Nasarawa	12.0167	8.5959	14/03/2016	17/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

Follow-up report No.: 63, Report reference: , OIE Ref: 25128, Report Date: 30/10/2017, Country: Nigeria

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	531	32	32	499	0			
Affected Population	52 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Farm	Kumbotso	11.9237	8.4609	14/03/2016	17/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2000	200	200	1800	0			
Affected Population	32 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Farm	Kumbotso	11.9293	8.4444	14/03/2016	17/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	4275	60	60	4215	0			
Affected Population	17 weeks old pullets								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.83539	8.86236	15/03/2016	17/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	934	100	100	834	0			
Affected Population	48 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Tarauni		Backyard	Tarauni	11.9242	8.2011	15/03/2016	18/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	10	3	3	7	0			
Affected Population	56 weeks old geese								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantya	9.891	8.8015	16/03/2016	18/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1600	14	14	1586	0			
Affected Population	23 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Farm	Kumbotso	11.9474	8.5126	17/03/2016	22/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	779	17	17	762	0			
Affected Population	20 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Ungogo		Backyard	Ungogo	12.0833	8.5131	18/03/2016	22/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	120	15	15	105	0			
Affected Population	30 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Rantiya low cost	9.8737	8.8479	20/03/2016	22/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	8995	206	206	8789	0			
Affected Population	20 and 50 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KATSINA-other report - submitted	-	Dutsin Ma		Farm	Dutsin Ma	12.2634	7.3414	20/03/2016	24/03/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2000	90	90	1910	0			
Affected Population	Layers of unknown age								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Ranya Lowcost	9.8802	8.0058	31/03/2016	02/04/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	13536	200	200	13336	0			
Affected Population	Pullets and layers of 7 and 40 weeks old respectively								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Backyard	Rantya	9.85405	8.85002	31/03/2016	02/04/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	204	2	2	202	0			
Affected Population	Pullets of 7 weeks old								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos East		Farm	Bamkap	9.83279	8.86445	01/04/2016	02/04/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	4878	76	76	4802	0			
Affected Population	10 weeks old layers								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KADUNA-other report - submitted	-	Zaria		Farm	Zaia	11.1005	7.7438	02/04/2016	05/04/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	30000	6000	6000	24000	0			
Affected Population	Layers of unknown age								

  

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KADUNA-other report - submitted	-	Kaduna South		Farm	Rigasa	10.52324	7.40121	28/05/2016	01/06/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	5000	1053	1053	3947	0			
Affected Population	19 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
FEDERAL CAPITAL TERRITORY-other report - submitted	-	AMAC		Backyard	Busaru	8.8508	7.1715	03/06/2016	09/06/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	400	40	40	360	0			
Affected Population	55 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
BAUCHI-other report - submitted	-	Toro		Farm	Toro	8.986736	10.03513	11/09/2016	15/09/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	9700	104	104	9596	0			
Affected Population	Ten-weeks-old pullets and 104-weeks-old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
FEDERAL CAPITAL TERRITORY-other report - submitted	-	Karu		Farm	Koso	9.2204	7.736	13/09/2016	15/09/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	100000	10000	10000	90000	0			
Affected Population	Eighteen-weeks-old pullets								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
BAUCHI-other report - submitted	-	Toro		Farm	Toro	10.0514	9.0432	21/11/2016	24/11/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	514	274	274	240	0			
Affected Population	Layers and cocks of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Kumbotso		Backyard	Kumbotso	8.2618292	11.57267	23/11/2016	26/11/2016
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	431	33	33	398	0			
Affected Population	Mixture of local chickens, geese and guinea fowls of unknown age.								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KADUNA-other report - submitted	-	Chikun		Farm	Chikun	10.0225	7.7791	09/01/2017	15/01/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	6500	547	547	5953	0			
Affected Population	15-week-old pullets								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
-------	---------------------	------------------	----------	-----------	----------	----------	-----------	------------	-----------



State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
BAUCHI-other report - submitted	-			Backyard	Bauchi	10.249	9.6065	10/01/2017	15/01/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	120	6	6	114	0			
Affected Population	24-week-old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
BAUCHI-other report - submitted	-	Bauchi		Backyard	Bauchi	10.2489	9.457	12/01/2017	15/01/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	43	3	3	40	0			
Affected Population	Pullets of 17 weeks old								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Kufang	9.9346	8.7439	18/01/2017	26/01/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2500	350	20	2170	0			
Affected Population	32-week-old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Kufang	9.9306	8.7146	20/01/2017	26/01/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1500	60	60	1440	0			
Affected Population	17-week-old pullets								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Backyard	Jos	9.08472	9.567679	23/01/2017	27/01/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	230	2	2	228	0			
Affected Population	Pullet of 18 weeks								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Jos	9.083738	9.566547	23/01/2017	27/01/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	4000	27	27	3973	0			
Affected Population	6 weeks old pullets								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Kufang	7.243711	8.87529	24/01/2017	31/01/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	903	18	18	885	0			
Affected Population	20 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
-------	---------------------	------------------	----------	-----------	----------	----------	-----------	------------	-----------

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
FEDERAL CAPITAL TERRITORY-other report - submitted	-	Kuje		Farm	Kuje	9.08472	8.876351	28/01/2017	31/01/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	130000	265	265	129735	0			
Affected Population	32 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KADUNA-other report - submitted	-	Igabi		Farm	Igabi	10.7777	7.7939	08/02/2017	15/02/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	12000	2000	2000	10000	0			
Affected Population	Pullets of 19 weeks old								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Low cost	9.8656	8.7508	09/02/2017	12/02/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3164	68	68	3096	0			
Affected Population	Layers and pullets of different ages (68, 44 and 17 weeks old)								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Jos	9.8675	8.816	11/02/2017	15/02/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3579	70	70	3508	0			
Affected Population	Pullets and layers of 9 and 62 weeks old respectively								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Jos	9.8961	8.8162	12/02/2017	15/02/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	22524	89	89	22435	0			
Affected Population	Pullets and layers of 14 and 44 weeks old								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Jos	8.8295	9.99181	13/02/2017	14/02/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	7380	14	14	7366	0			
Affected Population	Pullets of 14 weeks old								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	State Low cost	9.9203	8.7342	14/02/2017	17/02/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1200	51	51	1149	0			
Affected Population	25 weeks old layers								

Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Bassa		Farm	Bassa	9.8717	8.7293	14/02/2017	15/02/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1500	10	10	0	1490			
Affected Population	19 weeks old pullets								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Jos	9.8101	8.9077	15/02/2017	17/02/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2500	66	66	2434	0			
Affected Population	13 weeks old pullets								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
NASARAWA-other report - submitted	-	Akwanga		Farm	Akwanga	8.9641	8.2782	23/02/2017	26/02/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3200	9	9	3191	0			
Affected Population	25 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Zarmagandan	9.82167	8.85207	23/02/2017	25/02/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3962	25	25	3937	0			
Affected Population	21,33 & 68 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Zarmagandan	9.84502	8.8756	23/02/2017	25/02/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1010	75	75	935	0			
Affected Population	15 weeks old pullets								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos South		Farm	Bukuru Low cost	9.84504	8.87562	23/02/2017	28/02/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2930	62	62	2868	0			
Affected Population	20 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Backyard	Farin Gada	9.959026	8.871192	24/02/2017	27/02/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	400	50	50	350	0			
Affected Population	6 weeks old pullets								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
-------	---------------------	------------------	----------	-----------	----------	----------	-----------	------------	-----------

Follow-up report No.: 63, Report reference: , OIE Ref: 25128, Report Date: 30/10/2017, Country: Nigeria

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Zaria rd	9.99188	8.82948	28/02/2017	01/03/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1550	25	25	1525	0			
Affected Population	10 weeks old pullets								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Mangu		Farm	Gindiri	9.96222	8.86121	01/03/2017	05/03/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	806	26	26	780	0			
Affected Population	30 and 32 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KATSINA-other report - submitted	-	Bakori		Farm	Bakori	11.550267	7.439117	01/03/2017	08/03/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	3198	320	320	2878	0			
Affected Population	56 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
BAUCHI-other report - submitted	-	Toro		Farm	Toro	10.400162	9.465408	02/03/2017	07/03/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	14500	4836	4836	9664	0			
Affected Population	19 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Gada Biu	9.58157	8.20821	11/03/2017	14/03/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1445	14	14	1431	0			
Affected Population	Pullets and layers of 15 and 62 weeks old respectively								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Jos	9.97818	8.81678	14/03/2017	17/03/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2864	191	191	2673	0			
Affected Population	68 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
PLATEAU-other report - submitted	-	Jos North		Farm	Rantya Low cost	9.9299	8.87507	15/03/2017	17/03/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1000	110	110	890	0			
Affected Population	Broilers of 5 weeks old								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
-------	---------------------	------------------	----------	-----------	----------	----------	-----------	------------	-----------

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
BAUCHI-other report - submitted	-	Toro		Farm	Narabi	10.1146	9.0822	19/03/2017	22/03/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	6717	1177	1177	5540	0			
Affected Population	19 weeks old pullets								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
BAUCHI-other report - submitted	-	Toro		Farm	Narabi	10.1096	9.034	24/03/2017	28/03/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2300	283	283	2017	0			
Affected Population	38 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
BAUCHI-other report - submitted	-	Toro		Farm	Narabi	10.0899	9.053	24/03/2017	28/03/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	2415	32	32	2383	0			
Affected Population	32 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
BAUCHI-other report - submitted	-	Toro		Farm	Toro	10.1435	9.0679	31/03/2017	04/04/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	410	155	155	255	0			
Affected Population	16 weeks old cockerels								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
BAUCHI-other report - submitted	-	Toro		Farm	Toro	10.1143	9.0678	01/04/2017	04/04/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	6800	600	600	6200	0			
Affected Population	36 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
BAUCHI-other report - submitted	-	Toro		Farm	Toro	9.020047	10.158586	02/04/2017	05/04/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1130	216	216	914	0			
Affected Population	15-weeks-old pullets								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
BAUCHI-other report - submitted	-	Toro		Farm	Toro	9.053006	10.1694	05/04/2017	
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1500	46	46	1454	0			
Affected Population	Layers of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
-------	---------------------	------------------	----------	-----------	----------	----------	-----------	------------	-----------

Follow-up report No.: 63, Report reference: , OIE Ref: 25128, Report Date: 30/10/2017, Country: Nigeria

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
ADAMAWA-other report - submitted	-	Yola South		Backyard	Yola	9.2177	12.446	15/05/2017	12/06/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	200	50	50	150	0			
Affected Population	Layers of unknown age								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KADUNA-other report - submitted	-	Igabi		Farm	Igabi	10.1873	7.6087	28/05/2017	01/06/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1200	400	400	800	0			
Affected Population	30 weeks old layers								

State	Number of outbreaks	Local Government	District	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
KANO-other report - submitted	-	Dawakin Kudu		Farm	D/Kudu	11.8682	8.2715	29/05/2017	02/06/2017
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	13000	800	800	1200	0			
Affected Population	31 weeks old layers								

#### Outbreak summary: Total outbreaks = 434 (Submitted)

Species	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered
Birds	2427109	174317	171549	2158166	1748

#### Epidemiology

##### Epidemiological comments

##### Source of the outbreak(s) or origin of infection

- Unknown or inconclusive

#### Measures applied

Applied	To be applied
<ul style="list-style-type: none"> <li>• movement control inside the country</li> <li>• quarantine</li> <li>• official destruction of animal products</li> <li>• official disposal of carcasses, by-products and waste</li> </ul>	<ul style="list-style-type: none"> <li>• traceability</li> </ul>
Animals treated	Vaccination Prohibited
No	Yes

#### Future Reporting

The event is continuing. Weekly follow-up reports will be submitted.

## Outbreak maps

