

OIE Reference Laboratory Reports Activities

Activities in 2019

This report has been submitted : 2020-01-14 13:30:07

Name of disease (or topic) for which you are a designated OIE Reference Laboratory:	Enzootic abortion of ewes (Ovine chlamydiosis)
Address of laboratory:	Naumburger Str. 96a 07743 Jena GERMANY
Tel.:	+49-3641 804 2435
Fax:	+49-3641 804 2228
E-mail address:	christiane.schnee@fli.de
Website:	www.fli.de
Name (including Title) of Head of Laboratory (Responsible Official):	Prof. Christian Menge
Name (including Title and Position) of OIE Reference Expert:	Dr. Christiane Schnee
Which of the following defines your laboratory? Check all that apply:	Governmental

ToR 1: To use, promote and disseminate diagnostic methods validated according to OIE Standards

1. Did your laboratory perform diagnostic tests for the specified disease/topic for purposes such as disease diagnosis, screening of animals for export, surveillance, etc.? (Not for quality control, proficiency testing or staff training)

Yes

Diagnostic Test	Indicated in OIE Manual (Yes/No)	Total number of test performed last year	
		Nationally	Internationally
Indirect diagnostic tests			
ELISA	Yes	47	0
Direct diagnostic tests			
Real-Time PCR Family Chlamydiaceae	Yes	50	0
Real-Time PCR Chlamydia abortus	Yes	28	0

ToR 2: To develop reference material in accordance with OIE requirements, and implement and promote the application of OIE Standards. To store and distribute to national laboratories biological reference products and any other reagents used in the diagnosis and control of the designated pathogens or disease.

2. Did your laboratory produce or supply imported standard reference reagents officially recognised by the OIE?

No

3. Did your laboratory supply standard reference reagents (non OIE-approved) and/or other diagnostic reagents to OIE Member Countries?

Yes

Type of reagent available	Related diagnostic test	Produced/ provide	Amount supplied nationally (ml, mg)	Amount supplied internationally (ml, mg)	No. of recipient OIE Member Countries	Region of recipients
Chromosomal DNA of Chlamydia reference strains	PCR, Real-Time PCR	Produced	0	22 x 30 µl	2	<input type="checkbox"/> Africa <input type="checkbox"/> Americas <input type="checkbox"/> Asia and Pacific <input checked="" type="checkbox"/> Europe <input type="checkbox"/> Middle East

4. Did your laboratory produce vaccines?

No

5. Did your laboratory supply vaccines to OIE Member Countries?

No

ToR 3: To develop, standardise and validate, according to OIE Standards, new procedures for diagnosis and control of the designated pathogens or diseases

6. Did your laboratory develop new diagnostic methods validated according to OIE Standards for the designated pathogen or disease?

No

7. Did your laboratory develop new vaccines according to OIE Standards for the designated pathogen or disease?

No

ToR 4: To provide diagnostic testing facilities, and, where appropriate, scientific and technical advice on disease control measures to OIE Member Countries

8. Did your laboratory carry out diagnostic testing for other OIE Member Countries?

No

9. Did your laboratory provide expert advice in technical consultancies on the request of an OIE Member Country?

Yes

Name of the OIE Member Country receiving a technical consultancy	Purpose	How the advice was provided
LATVIA	Advices for CFT for the detection of Chlamydia abortus antibodies	Remote assistance by email

ToR 5: To carry out and/or coordinate scientific and technical studies in collaboration with other laboratories, centres or organisations

10. Did your laboratory participate in international scientific studies in collaboration with OIE Member Countries other than the own?

No

ToR 6: To collect, process, analyse, publish and disseminate epizootiological data relevant to the designated pathogens or diseases

11. Did your Laboratory collect epizootiological data relevant to international disease control?

Yes

If the answer is yes, please provide details of the data collected:
44 Alpaka flocks in Germany were screened for the occurrence and distribution of Chlamydia abortus and other Chlamydia spp. Wild boars in two federal states of Germany were screened for chlamydiae and Tet-resistant Chlamydia suis.

12. Did your laboratory disseminate epizootiological data that had been processed and analysed?

No

If the answer is no, please provide a brief explanation of the situation:
Studies still ongoing.

13. What method of dissemination of information is most often used by your laboratory? (Indicate in the appropriate box the number by category)

a) Articles published in peer-reviewed journals: 1

Álvarez D, Caro MR, Buendía AJ, Schnee C, Ortega N, Murcia-Belmonte A, Salinas J.

Effect of female sex hormones on the developmental cycle of Chlamydia abortus compared to a penicillin-induced model of persistent infection.

BMC Vet Res. 2019 Jul 24;15(1):259

b) International conferences: 2
 German Chlamydia Workshop, Göttingen, Feb 26-27
 Chinese-German Chlamydia Symposium, Beijing, Feb 15-18

c) National conferences: 1
 38th Meeting of the Working Group for Veterinary Diagnostics (Bacteriology), Banz, Sep 11-13

d) Other:
 (Provide website address or link to appropriate information) 0

**ToR 7: To provide scientific and technical training for personnel from OIE Member Countries
 To recommend the prescribed and alternative tests or vaccines as OIE Standards**

14. Did your laboratory provide scientific and technical training to laboratory personnel from other OIE Member Countries?

Yes

a) Technical visits: 0
 b) Seminars: 0
 c) Hands-on training courses: 0
 d) Internships (>1 month): 1

Type of technical training provided (a, b, c or d)	Country of origin of the expert(s) provided with training	No. participants from the corresponding country
d	China	1

ToR 8: To maintain a system of quality assurance, biosafety and biosecurity relevant for the pathogen and the disease concerned

15. Does your laboratory have a Quality Management System?

Yes

Quality management system adopted	Certificate scan (PDF, JPG, PNG format)
ISO17025	Akkreditierungsurkunde_FLI-Riems-Jena_2019.pdf

16. Is your quality management system accredited?

Yes

Test for which your laboratory is accredited	Accreditation body
PCR and real-time PCR Chlamydiaceae	DAkKS Deutsche Akkreditierungsstelle
Real-time PCR Chlamydia spp.	DAkKS Deutsche Akkreditierungsstelle
DNA-microarray Chlamydia spp	DAkKS Deutsche Akkreditierungsstelle
Isolation and culture Chlamydia spp.	DAkKS Deutsche Akkreditierungsstelle

17. Does your laboratory maintain a “biorisk management system” for the pathogen and the disease concerned?

Yes

(See *Manual of Diagnostic Tests and Vaccines for Terrestrial Animals, Chapter 1.1.4*)

ToR 9: To organise and participate in scientific meetings on behalf of the OIE

18. Did your laboratory organise scientific meetings on behalf of the OIE?

No

19. Did your laboratory participate in scientific meetings on behalf of the OIE?

No

ToR 10: To establish and maintain a network with other OIE Reference Laboratories designated for the same pathogen or disease and organise regular inter-laboratory proficiency testing to ensure comparability of results

20. Did your laboratory exchange information with other OIE Reference Laboratories designated for the same pathogen or disease?

Yes

21. Was your laboratory involved in maintaining a network with OIE Reference Laboratories designated for the same pathogen or disease by organising or participating in proficiency tests?

Yes

Purpose of the proficiency tests: ¹	Role of your Reference Laboratory (organiser/ participant)	No. participants	Participating OIE Ref. Labs/ organising OIE Ref. Lab.
Check of labs's proficiency in PCR detection of Chlamydiaceae	participant	3	ANSES France, Dr. Karine Laroucau

¹ validation of a diagnostic protocol: specify the test; quality control of vaccines: specify the vaccine type, etc.

22. Did your laboratory collaborate with other OIE Reference Laboratories for the same disease on scientific research projects for the diagnosis or control of the pathogen of interest?

No

ToR 11: To organise inter-laboratory proficiency testing with laboratories other than OIE Reference Laboratories for the same pathogens and diseases to ensure equivalence of results

23. Did your laboratory organise or participate in inter-laboratory proficiency tests with laboratories other than OIE Reference Laboratories for the same disease?

No

Note: See Interlaboratory test comparisons in: Laboratory Proficiency Testing at: <http://www.oie.int/en/our-scientific-expertise/reference-laboratories/proficiency-testing> see point 1.3

ToR 12: To place expert consultants at the disposal of the OIE

24. Did your laboratory place expert consultants at the disposal of the OIE?

No

25. Additional comments regarding your report: