

Follow-up report No.7

Report reference: , Reference OIE : 31219, Report Date : 26/07/2019, Country : Mexico

Report Summary

Name of sender of the report	MVZ Guerrero Lourdes	Telephone	+52 55 59051000
Position	Subdirectora de Evaluación Zoonosanitaria de Mercancias	Fax	
Address	Boulevard Adolfo Ruiz Cortines No. 5010, Col. Insurgentes Cuicuilco, Alc. Coyoacán Ciudad de México C.P. 04530	Email	lourdes.guerrero@senasica.gob.mx
		Date submitted to OIE	27/07/2019

Animal type	Terrestrial	Date of report	26/07/2019
Disease	Highly pathogenic avian influenza	Date of start of the event	06/03/2019
Causal Agent	Highly pathogenic avian influenza virus	Date of confirmation of the event	10/03/2019
Serotype(s)	H7N3	Date of last occurrence	18/04/2018
Reason	Recurrence of a listed disease	Diagnosis	Clinical, Laboratory (advanced)
Country or zone	a zone or compartment	Clinical signs	Yes
Number of reported outbreaks	submitted= 22, Draft= 0		

Outbreak details

Estado	Number of outbreaks	Municipio	Localidad	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Mexico-other report - submitted	-			Backyard	Acolman	19.650621	-98.880518	06/03/2019	22/03/2019
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	150	150	150	0	0			
Affected Population	Backyard with 150 birds detected following high mortality and clinical signs suggesting highly pathogenic avian influenza (cyanosis, edema and swelling on red comb and wattles and sudden death).								

Estado	Number of outbreaks	Municipio	Localidad	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Queretaro-other report - submitted	-			Farm	Colón	20.676714	-99.987875	08/04/2019	19/04/2019
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	138632	5	0	0	138632			
Affected Population	The presence of highly pathogenic avian influenza was detected as part of active epidemiological surveillance in a poultry production unit in five birds that were subjected to organ sampling and did not show any clinical signs, as the rest of the flock.								

Estado	Number of outbreaks	Municipio	Localidad	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Jalisco-other report - submitted	-			Backyard	Lagos de Moreno	21.375311	-101.935152	09/04/2019	14/04/2019
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1625	1625	400	1225	0			
Affected Population	Reporting of a high mortality in a backyard with fighting cocks. Quarantine was imposed immediately and following, cleaning and disinfection of the premises are ongoing.								

Estado	Number of outbreaks	Municipio	Localidad	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Jalisco-other report - submitted	-			Backyard	Lagos de Moreno	21.377253	-101.929069	09/04/2019	14/04/2019
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	612	612	120	492	0			
Affected Population	Reporting of a high mortality in a backyard with birds. Quarantine was imposed and following, cleaning and disinfection of the premises were carried out immediately.								

Estado	Number of outbreaks	Municipio	Localidad	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Mexico-other report - submitted	-			Backyard	Chapa de Mota	19.878863	-99.554658	09/04/2019	16/04/2019
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	290	290	230	60	0			

Estado	Number of outbreaks	Municipio	Localidad	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Affected Population	Reporting of a high mortality in a backyard with birds. At the time of the visit, there were only 60 sick animals left, the remaining animals had then already died. Quarantine was imposed and following, cleaning and disinfection of the premises were carried out immediately.								
Hidalgo-other report - submitted	-			Backyard	Mineral del Chico	20.21594	-98.76137	15/04/2019	23/04/2019
Birds	Animals	619	178	172	447	0			
Affected Population	A rural production unit with 598 birds, detected and reported to the competent authority by a self-employed veterinarian in order to carry out appropriate epidemiological monitoring.								
Queretaro-other report - submitted	-			Backyard	Colón	20.066601	-100.07374	24/04/2019	02/05/2019
Birds	Animals	1	1	0	1	0			
Affected Population	As a result of the epidemiological surveillance, samples were taken in a backyard with one bird with no clinical signs; the virus was isolated.								
Queretaro-other report - submitted	-			Backyard	Ezequiel Montes	20.65652	-99.96347	29/04/2019	07/05/2019
Birds	Animals	62	50	42	20	0			
Affected Population	As a result of the epidemiological surveillance, the disease was detected in a backyard with 62 birds. High mortality was observed in the premises; samples were therefore taken for virus isolation.								
Guerrero-other report - submitted	-			Backyard	General Heliodoro Castillo	17.928	-99.9	30/04/2019	08/05/2019
Birds	Animals	34	24	19	15	0			
Affected Population	Backyard with 34 birds detected following high mortality and clinical signs suggesting highly pathogenic avian influenza (cyanosis, edema and swelling on red comb and wattles and sudden death).								
Tlaxcala-other report - submitted	-			Backyard	Tlaxco	19.5552778	-98.0244444	30/04/2019	07/05/2019
Birds	Animals	10	5	5	5	0			
Affected Population	Backyard with 10 birds detected following high mortality and clinical signs suggesting highly pathogenic avian influenza (cyanosis, edema and swelling on red comb and wattles and sudden death).								
Queretaro-other report - submitted	-			Farm	Pedro Escobedo	20.5267	-100.08585	07/05/2019	12/06/2019
Birds	Animals	2000	1400	1200	800	0			
Affected Population	Commercial laying farm with 2,000 birds detected following high mortality and clinical signs suggesting highly pathogenic avian influenza (cyanosis, edema and swelling on red comb and wattles and sudden death).								
Guerrero-other report - submitted	-			Backyard	General Heliodoro Castillo	17.924	-99.898	08/05/2019	14/06/2019
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

Follow-up report No.: 7, Report reference: , OIE Ref: 31219, Report Date: 26/07/2019, Country: Mexico

Estado	Number of outbreaks	Municipio	Localidad	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	54	14	10	44	0			
Affected Population	As a result of sampling around the outbreaks, the disease was detected in a backyard with 54 birds. High mortality was observed in the premises; samples were therefore taken for virus isolation.								
Estado	Number of outbreaks	Municipio	Localidad	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Queretaro-other report - submitted	-			Backyard	Cadereyta de Montes	20.68267	-99.81036	14/05/2019	01/06/2019
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	25	5	0	25	0			
Affected Population	As a result of the epidemiological surveillance, tracheal swabs were taken in five birds in a backyard with 25 birds; no clinical signs observed.								
Estado	Number of outbreaks	Municipio	Localidad	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Hidalgo-other report - submitted	-			Farm	Tizayuca	19.8281	-98.9606	14/05/2019	30/05/2019
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1300	1200	1150	150	0			
Affected Population	Commercial laying farm with 1,300 birds detected following high mortality and clinical signs suggesting highly pathogenic avian influenza (cyanosis, edema and swelling on red comb and wattles and sudden death).								
Estado	Number of outbreaks	Municipio	Localidad	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Queretaro-other report - submitted	-			Farm	San Juan del Río	20.4257778	-100.06	20/05/2019	31/05/2019
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	133566	5	0	133566	0			
Affected Population	As a result of the epidemiological surveillance, tracheal swabs were taken in five birds in a commercial laying farm with 133,566 birds; no clinical signs observed.								
Estado	Number of outbreaks	Municipio	Localidad	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Hidalgo-other report - submitted	-			Backyard	Tasquillo	20.48208	-99.28236	06/06/2019	19/06/2019
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	1000	1000	1000	0	0			
Affected Population	Backyard farm with 1,000 birds detected following notification of high mortality and clinical signs suggesting highly pathogenic avian influenza (cyanosis, edema and swelling on red comb and wattles and sudden death).								
Estado	Number of outbreaks	Municipio	Localidad	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Jalisco-other report - submitted	-			Backyard	Tlajomulco de Zuñiga	20.450833	-103.250555	11/06/2019	13/06/2019
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	210	10	10	200	0			
Affected Population	Backyard farm with 210 birds detected following notification of high mortality and clinical signs suggesting highly pathogenic avian influenza (cyanosis, edema and swelling on red comb and wattles and sudden death).								
Estado	Number of outbreaks	Municipio	Localidad	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Guanajuato-other report - submitted	-			Backyard	Santa Cruz de Juventino Rosas	20.6987	-101.0526	19/06/2019	21/06/2019
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	50	30	25	25	0			
Affected Population	Backyard farm with 50 birds detected following notification of high mortality and clinical signs suggesting highly pathogenic avian influenza (cyanosis, edema and swelling on red comb and wattles and sudden death).								
Estado	Number of outbreaks	Municipio	Localidad	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Veracruz- (this report - submitted)	-			Backyard	Coacoatzintla	19.6608056	-96.926416	29/06/2019	02/07/2019
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			

Follow-up report No.: 7, Report reference: , OIE Ref: 31219, Report Date: 26/07/2019, Country: Mexico

Estado	Number of outbreaks	Municipio	Localidad	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	25	13	3	22	0			
Affected Population	Backyard with 25 birds detected following a reported high mortality and clinical signs suggesting highly pathogenic avian influenza (cyanosis, edema and swelling on red comb and wattles and sudden death).								

Estado	Number of outbreaks	Municipio	Localidad	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Queretaro- (this report - submitted)	-			Farm	Colón	20.74421	-100.03835	03/07/2019	
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	174163	10	0	0	0			
Affected Population	As part of the epidemiological surveillance, samples of tracheal swabs were collected from animals not showing clinical signs in a fattening farm; the virus was isolated.								

Estado	Number of outbreaks	Municipio	Localidad	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Guanajuato- (this report - submitted)	-			Backyard	Dolores Hidalgo	20.9116694	-100.9127444	10/07/2019	13/07/2019
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	20	5	4	16	0			
Affected Population	Backyard with 20 birds detected following a reported high mortality and clinical signs suggesting highly pathogenic avian influenza (cyanosis, edema and swelling on red comb and wattles and sudden death).								

Estado	Number of outbreaks	Municipio	Localidad	Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Queretaro- (this report - submitted)	-			Farm	Pedro Escobedo	20.5130533	-99.79096	11/07/2019	18/07/2019
Species	Measuring units	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered			
Birds	Animals	21644	10000	4275	17369	0			
Affected Population	Light-breeder farm with 21,644 birds, detected following a reported high mortality in birds, with clinical signs pathognomonic of highly pathogenic avian influenza (cyanosis, edema and swelling of red comb and wattles and sudden death).								

Outbreak summary: Total outbreaks = 22 (Submitted)

Species	Susceptible	Cases	Deaths	Killed and disposed of	Slaughtered
Birds	476092	16632	8815	154482	138632

Epidemiology

Epidemiological comments

As a result of epidemiological surveillance, an outbreak was identified in a fattening farm in the municipality of Colón, State of Querétaro, in which the birds did not show clinical signs. In addition, two outbreaks in backyard premises, located in the states of Veracruz and Guanajuato, and another outbreak in a production of light breeders with clinical signs suggestive of highly pathogenic avian influenza (cyanosis, edema and swelling on the red comb and wattles and sudden death) were reported. In all four outbreaks, virus isolation was achieved and quarantine was implemented. The culling of all birds, and the disposal of carcasses, products and waste were completed in three of the outbreaks reported, while they are still underway for the outbreak in the municipality of Colón, Querétaro. IPIV titles were obtained for outbreaks in Santa Cruz de Juventino Rosas, Guanajuato (2.41); Coacoatzintla, Veracruz (2.25) and Colón, Querétaro (2.29). The States of Querétaro, Veracruz and Guanajuato have a sanitary condition with low prevalence and the vaccine against the H7N3 avian influenza virus is applied, following prior authorization from SENASICA.

Source of the outbreak(s) or origin of infection

• Unknown or inconclusive

Measures applied

Applied	To be applied
<ul style="list-style-type: none"> • movement control inside the country • surveillance outside containment and/or protection zone • surveillance within containment and/or protection zone • quarantine • official disposal of carcasses, by-products and waste 	<ul style="list-style-type: none"> • stamping out • disinfection • slaughter • ante and post-mortem inspections
Animals treated	Vaccination Prohibited
No	No

Future Reporting

The event is continuing. Weekly follow-up reports will be submitted.

Outbreak maps

