

Follow-up report No.10

Report reference: , Reference OIE : 17397, Report Date : 20/03/2015, Country : United States of America

Report Summary

Name of sender of the report	Dr John Clifford	Telephone	(1-202) 799-7146
Position	Deputy Administrator	Fax	(1-202) 799-7146
Address	Room # 317-E	Email	John.Clifford@aphis.usda.gov
	Jamie L. Whitten Federal Building 1400 Independence Ave, SW Washington, DC 20250 Washington 20250	Date submitted to OIE	20/03/2015

Animal type	Terrestrial	Date of report	20/03/2015
Disease	Highly pathogenic avian influenza	Date of start of the event	10/12/2014
Causal Agent	Highly pathogenic avian influenza virus	Date of pre-confirmation of the event	14/12/2014
Serotype(s)	H5N8	Date of last occurrence	2004
Reason	Reoccurrence of a listed disease	Diagnosis	Laboratory (advanced)
Country or zone	a zone or compartment	Clinical signs	Yes
Number of reported outbreaks	submitted= 18, Draft= 0		

Outbreak details

State	Number of outbreaks	County		Unit Type	Location	Latitude	Longitude	Start Date	End Date:
WASHINGTON-other report - submitted	-	Whatcom		Not applicable	Whatcom County	48.98	-122.47	10/12/2014	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
Gyr Falcon:Falconidae(Falco rusticolus)	Animals			
Affected Population	Captive wild gyrfalcon								

State	Number of outbreaks	County		Unit Type	Location	Latitude	Longitude	Start Date	End Date:
OREGON-other report - submitted	-	Douglas		Backyard	Douglas County	43.12	-123.41	16/12/2014	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
Birds	Animals	130	28	28	102	0			
Affected Population	The affected premises was a small backyard mixed flock of guinea fowl, chickens, ducks, and geese that were allowed access to the outdoors and regularly exposed to wild migratory waterfowl.								

State	Number of outbreaks	County		Unit Type	Location	Latitude	Longitude	Start Date	End Date:
WASHINGTON-other report - submitted	-	Whatcom		Not applicable	Whatcom County	48.854	-122.4966	24/12/2014	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
American wigeon:Anatidae(Anas americana)	Animals			
Affected Population	Hunter harvested wild American wigeon duck								

State	Number of outbreaks	County		Unit Type	Location	Latitude	Longitude	Start Date	End Date:
CALIFORNIA-other report - submitted	-	Butte		Not applicable	Butte County	39.672	-121.591	02/01/2015	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
Gadwall:Anatidae(Anas strepera)	Animals			
Affected Population	Hunter harvested wild gadwall duck								

Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
State	Number of outbreaks	County		Unit Type	Location	Latitude	Longitude	Start Date	End Date:
UTAH-other report - submitted	-	Davis		Not applicable	Davis County	40.999	-111.929	09/01/2015	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
American wigeon:Anatidae(Anas americana)	Animals			
Affected Population	Hunter harvested wild American wigeon duck.								

State	Number of outbreaks	County		Unit Type	Location	Latitude	Longitude	Start Date	End Date:
CALIFORNIA-other report - submitted	-	Yolo		Not applicable	Yolo county	38.72	-121.933	09/01/2015	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
Green-winged Teal:Anatidae(Anas carolinensis)	Animals			
Affected Population	Hunter harvested wild American green-winged teal duck.								

State	Number of outbreaks	County		Unit Type	Location	Latitude	Longitude	Start Date	End Date:
IDAHO-other report - submitted	-	Gooding		Not applicable	Gooding County	42.932	-114.807	16/01/2015	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
Mallard:Anatidae(Anas platyrhynchos)	Animals			
Affected Population	Hunter harvested wild mallard duck								

State	Number of outbreaks	County		Unit Type	Location	Latitude	Longitude	Start Date	End Date:
CALIFORNIA-other report - submitted	-	Stanislaus		Farm	Stanislaus County	37.552	-120.985	19/01/2015	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
Birds	Animals	145000	...	4500	140500	0			
Affected Population	A commercial turkey operation. Only one house of 9,000 birds on the facility was affected and showed increased mortality.								

State	Number of outbreaks	County		Unit Type	Location	Latitude	Longitude	Start Date	End Date:
CALIFORNIA-other report - submitted	-	Butte		Not applicable	Butte County	39.6307	-121.6376	23/01/2015	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
American wigeon:Anatidae(Anas americana)	Animals			
Affected Population	Hunter harvested wild American wigeon duck.								

State	Number of outbreaks	County		Unit Type	Location	Latitude	Longitude	Start Date	End Date:
IDAHO-other report - submitted	-	Kootenai		Not applicable	Kootenai County	47.717	-116.729	29/01/2015	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
Gyr Falcon:Falconidae(Falco rusticolus)	Animals			
Affected Population	Captive wild gyrfalcon								

State	Number of outbreaks	County		Unit Type	Location	Latitude	Longitude	Start Date	End Date:
-------	---------------------	--------	--	-----------	----------	----------	-----------	------------	-----------

Follow-up report No.: 10, Report reference: , OIE Ref: 17397, Report Date: 20/03/2015, Country: United States of America

State	Number of outbreaks	County		Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
NEVADA-other report - submitted	-	Lincoln		Not applicable	Lincoln County	37.673	-114.7522	30/01/2015	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
Mallard:Anatidae(Anas platyrhynchos)	Animals			
Affected Population	Hunter harvested wild mallard duck								

State	Number of outbreaks	County		Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
WASHINGTON-other report - submitted	-	Grays Harbor		Not applicable	Grays Harbor County	46.9632	-123.607	02/02/2015	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
Peregrin falcon:Falconidae(Falco peregrinus)	Animals			
Affected Population	Wild bird surveillance.								

State	Number of outbreaks	County		Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
WASHINGTON-other report - submitted	-	Clark		Not applicable	Clark County	45.8472	-122.5021	02/02/2015	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
American wigeon:Anatidae(Anas americana)	Animals			
Affected Population	Hunter harvested wild American wigeon duck.								

State	Number of outbreaks	County		Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
CALIFORNIA-other report - submitted	-	Kings		Farm	Kings County	36.048	-119.814	02/02/2015	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
Birds	Animals	114000	114000	...			
Affected Population	A commercial chicken and duck operation.								

State	Number of outbreaks	County		Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
IDAHO-other report - submitted	-	Canyon		Not applicable	Canyon County	43.7038	-116.8604	12/02/2015	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
Bald Eagle:Accipitridae(Haliaeetus leucocephalus)	Animals			
Affected Population	Wild bird surveillance.								

State	Number of outbreaks	County		Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
OREGON-other report - submitted	-	Columbia		Not applicable	Columbia County	46.0136	-122.7496	23/02/2015	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
Mallard:Anatidae(Anas platyrhynchos)	Animals			
Affected Population	Hunter harvested wild mallard duck.								

State	Number of outbreaks	County		Unit Type	Location	Latitude	Longitude	Start Date	End Date:
-------	---------------------	--------	--	-----------	----------	----------	-----------	------------	-----------

Follow-up report No.: 10, Report reference: , OIE Ref: 17397, Report Date: 20/03/2015, Country: United States of America

State	Number of outbreaks	County		Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
OREGON- (this report - submitted)	-	Klamath		Not applicable	Klamath County	42.3233	-121.6871	09/03/2015	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
Canada Goose:Anatidae(Branta canadensis)	Animals			
Affected Population	Wild bird surveillance.								

State	Number of outbreaks	County		Unit Type	Location	Latitude	Longitude	Start Date	End Date:
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
OREGON- (this report - submitted)	-	Klamath		Not applicable	Klamath County	42.8641	-121.9148	09/03/2015	
Species	Measuring units	Susceptible	Cases	Deaths	Destroyed	Slaughtered			
American wigeon:Anatidae(Anas americana)	Animals			
Affected Population	Wild bird surveillance.								

Outbreak summary: Total outbreaks = 18 (Submitted)

Species	Susceptible	Cases	Deaths	Destroyed	Slaughtered
Gyr Falcon					
Birds	259130	28	4528	254602	0
American wigeon					
Gadwall					
Green-winged Teal					
Mallard					
Peregrin falcon					
Bald Eagle					
Canada Goose					

Epidemiology

Epidemiological comments

The USDA Animal and Plant Health Inspection Service (APHIS), in conjunction with State Departments of Agriculture and Wildlife, are continuing to conduct a comprehensive epidemiological investigation and enhanced surveillance (including wild bird surveillance of hunter harvested birds) in response to the HPAI H5N8 and H5N2 wild bird related events. Novel avian influenza virus of Eurasian origin (EA-H5N8 clade 2.3.4.4) spread rapidly along wild bird migratory pathways during 2014. Introduction of this EA-H5N8 virus into the Pacific Flyway sometime during 2014 has allowed mixing with North American (AM) lineage viruses and generated new combinations with genes from both EA and AM origin (or "reassortant" viruses) such as the EA/AM H5N2-reassortant detected in Canada and the US. These findings are not unexpected as the EA-H5N8 virus continues to circulate. The EA H5 clade 2.3.4.4 viruses are highly pathogenic for poultry.

To date, all enhanced surveillance and testing for avian influenza around the affected premises has been negative for avian influenza.

Source of the outbreak(s) or origin of infection

- Contact with wild species

Measures applied

Applied	To be applied
<ul style="list-style-type: none"> • stamping out • quarantine • movement control inside the country • zoning • disinfection of infected premises/establishment(s) 	<ul style="list-style-type: none"> • no planned control measures
Animals treated	Vaccination Prohibited
No	Yes

Diagnostic test results

Laboratory Type	Name of Laboratory	Species	Test Type	Date Results Provided	Result
-----------------	--------------------	---------	-----------	-----------------------	--------

Follow-up report No.: 10, Report reference: , OIE Ref: 17397, Report Date: 20/03/2015, Country: United States of America

Laboratory Type	Name of Laboratory	Species	Test Type	Date Results Provided	Result
National laboratory	National Veterinary Services Laboratories (NVSL)	Canada Goose	real-time reverse transcriptase/polymerase chain reaction (RRT-PCR)	09/03/2015	Positive
National laboratory	National Veterinary Services Laboratories (NVSL)	Canada Goose	virus sequencing	09/03/2015	Positive
National laboratory	National Veterinary Services Laboratories (NVSL)	American wigeon	virus sequencing	09/03/2015	Positive
National laboratory	National Veterinary Services Laboratories (NVSL)	American wigeon	real-time reverse transcriptase/polymerase chain reaction (RRT-PCR)	09/03/2015	Positive

Future Reporting

The event is continuing. Weekly follow-up reports will be submitted.

Outbreak maps

